LUND UNIVERSITY

On the accuracy of benchmark tables and graphical results in the applied mechanics literature

Helsing, Johan; Jonsson, Anders

Published in:
Journal of Applied Mechanics

DOI:
[10.1115/1.1427691](https://doi.org/10.1115/1.1427691)

2002

[Link to publication](#)

Citation for published version (APA):
Helsing, J., & Jonsson, A. (2002). On the accuracy of benchmark tables and graphical results in the applied mechanics literature. *Journal of Applied Mechanics*, 69(1), 88-90. <https://doi.org/10.1115/1.1427691>

Total number of authors:
2

General rights

Unless other specific re-use rights are stated the following general rights apply:
Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

On the accuracy of benchmark tables and graphical results in the applied mechanics literature*

Johan Helsing[†] and Anders Jonsson[‡]

September 28, 2000, revised January 29, 2002

Abstract

Converged normalized stress intensity factors for a matrix crack interacting with an elastic cylinder are presented. The new results differ from previously published results in several examples. The need for better error analysis in computational fracture mechanics is emphasized.

Introduction

The purpose of this note is to initiate a discussion of the accuracy of benchmark tables and graphical results presented in the applied mechanics literature. Accurate benchmark results are essential in the development of new software. Programming errors easily occur. If one can not find at least three digit accurate results, for standard non-trivial setups, to verify against, many errors will go unnoticed.

Stress intensity factors are frequently tabulated and presented in graphs. These factors are considered difficult to compute, even though the underlying physical problem often is well-conditioned. The chief difficulties are to find and to implement efficient numerical algorithms and to assess the accuracy of the final result. There are many pitfalls. Finding the correct branch of the square root of complex numbers in the context of computing weight functions is just one example of a non-standard task which may occur and where even the properties of the compiler must be taken into account. Also, the orientation of coordinate systems and the various normalization factors and symbols used by different authors may cause confusion. Not surprisingly, many of the numerical results presented in the literature are of questionable quality. Convergence studies are seldom, if ever, presented. We believe that there is a particular need to reexamine previously published results in this area.

In order to illustrate the points made above we consider an example involving two papers presenting results for normalized stress intensity factors of a matrix crack in the presence of an elastic cylinder: one classic paper by Erdogan, Gupta, and Ratwani [1], and

*This work was supported by NFR, TFR, and The Knut and Alice Wallenberg Foundation under TFR contracts 98-568 and 99-380.

[†]Department of Solid Mechanics and NADA, Royal Institute of Technology, SE-100 44 Stockholm, Sweden
Email: helsing@nada.kth.se, Phone: +46-8-7907553, Fax: +46-8-4112418.

[‡]Department of Solid Mechanics, Royal Institute of Technology, SE-100 44 Stockholm, Sweden.

a recent paper by Cheeseman and Santare [2]. In the latter paper the authors validate their algorithm by comparing with results from the former paper. “Good agreement” is noted, but the statement is not supported by numerical results.

Results

We simply recompute some results of Erdogan, Gupta, and Ratwani [1] and Cheeseman and Santare [2] using an algorithm based on a pair of integral equations for the crack and inclusion problem developed by Helsing and Peters [3]. The integral equations, number (48) and number (49) in Helsing and Peters, are of Fredholm’s second kind with compact operators. This allows for stable convergence. The integral equations are solved using a Nyström scheme with composite quadrature on a uniform mesh. We use 16-point Gauss-Legendre quadrature on all quadrature panels except for the two panels containing the crack tips. There we use Gauss-Jacobi quadrature. Great care is devoted to avoiding roundoff error throughout the code. The setups under investigation are depicted in Figure 1. The shear moduli of the matrix and of the cylinder are $\mu_1 = 1$ and $\mu_2 = 23$. The Poisson’s ratios of matrix and of the cylinder are $\nu_1 = 0.35$ and $\nu_2 = 0.30$. The two-dimensional bulk modulus κ , used in Helsing and Peters, is $\kappa = \mu/(1 - 2\nu)$. This bulk modulus should not be mixed up with the “kappa” used by many authors including Erdogan, Gupta, and Ratwani. The latter “kappa” corresponds to the quantity $\varkappa = 3 - 4\nu$, in Muskhelishvili’s notation.

Our new, converged, results do not always agree with the previously published results. This can be seen in Table 1 and in Figure 2. In many cases the results differ considerably, in digits and also in signs (for the secondary factors k_{21} and k_{22}). It is hazardous to speculate in the reasons for this discrepancy. One thing is certain, however. Our results have converged stably. See Figure 3 for an example where the relative error for a stress intensity factor settles on a level of 10^{-15} as the mesh is refined.

Discussion

This note stresses the need for more error analysis in computational fracture mechanics. An algorithm may be correct in a mathematical sense. The results it produces on a computer may still be wrong if the problem is not properly resolved, if the algorithm is unstable, or if there is a bug in the code or in the compiler.

It is difficult to prove, rigorously, that a numerical solution to a non-trivial problem is accurate to a certain number of digits. Accurate benchmarks can, in our opinion, best be established by the agreement of several calculations performed by independent investigators. To this end, the presentation of numerical results in terms of numbers is essential. Graphs alone are not sufficient. The presentation of convergence studies, further, helps remove doubts about underresolution and instability. We encourage the inclusion of this type of information in forthcoming papers. We challenge other scientists in computational mechanics to confirm or disprove our new numerical results.

References

- [1] Erdogan, F., Gupta, G. D., and Ratwani, M., 1974, "Interaction Between a Circular Inclusion and an Arbitrarily Oriented Crack," ASME J. Appl. Mech., **41**, pp. 1007-1013.
- [2] Cheeseman, B. A. and Santare, M. H., 2000, "The Interaction of a curved crack with a circular elastic inclusion," Int. J. Fracture, **103**, pp. 259-277.
- [3] Helsing, J. and Peters, G., 1999, "Integral equation methods and numerical solutions of crack and inclusion problems in planar elastostatics," SIAM J. Appl. Math., **59**, pp. 965-982.

Figures and Tables

Figure 1: Left, a straight crack outside an inclusion under uniaxial tension. This is the setup of Erdogan, Gupta and Ratwani [1] corresponding to their Table 3. Right, an arc-shaped crack outside a circular inclusion under biaxial tension. This is the setup of Cheeseman and Santare [2] corresponding to their Figure 8.

Figure 2: Normalized Mode I stress intensity factors of the setup in Figure 8 in Cheeseman and Santare [2] (the right image of our Figure 1) versus dimensionless distance for a circular arc-shaped crack interacting with an inclusion.

Table 1: Comparison between our new results and those of Table 3 in Erdogan, Gupta, and Ratwani [1] for the geometry of the left image in our Figure 1. The relations between the shear moduli of the inclusion and the matrix is $\mu_2 = 23\mu_1$. The normalized mode i stress intensity factor at crack tip j is denoted as k_{ij} .

c/a	k_{11}^{EGR}	k_{11}^{new}	k_{12}^{EGR}	k_{12}^{new}	k_{21}^{EGR}	k_{21}^{new}	k_{22}^{EGR}	k_{22}^{new}
0.3	0.784	0.790	0.225	0.235	-0.004	-0.023	0.072	0.073
0.5	0.792	0.797	0.341	0.347	-0.006	-0.037	0.101	0.102
1.0	0.817	0.817	0.613	0.613	-0.005	-0.067	0.057	0.061
1.5	0.839	0.833	0.763	0.755	0.008	-0.074	-0.007	0.012
2.0	0.860	0.850	0.845	0.830	0.034	-0.058	-0.021	0.018
3.0	0.905	0.897	0.953	0.936	0.089	-0.004	-0.001	0.067
4.0	0.951	0.947	1.014	1.003	0.117	0.032	0.002	0.079
8.0	1.020	1.022	1.043	1.043	0.088	0.032	-0.026	0.032