



LUND UNIVERSITY

Goodness of Fit Test for Exponentiality Based on Cox-Snell Residuals

PirouziFard, MirNabi; Holmquist, Björn

2008

[Link to publication](#)

Citation for published version (APA):

PirouziFard, M., & Holmquist, B. (2008). *Goodness of Fit Test for Exponentiality Based on Cox-Snell Residuals*.

Total number of authors:

2

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

**Goodness-of-fit test for exponentiality based on
Cox-Snell residuals**

**Mir Nabi Pirouzi Fard
and
Björn Holmquist**

2008:1



**LUND
UNIVERSITY**

**DEPARTMENT OF
STATISTICS**

**S-220 07 LUND
SWEDEN**

**Goodness-of-fit test for exponentiality based on Cox-Snell
residuals**

BY MIR NABI PIROUZI FARD AND BJÖRN HOLMQUIST

Department of Statistics, Lund University, Box 743, SE-220 07

Lund, Sweden

mirnabi.pirouzifard@stat.lu.se, bjorn.holmquist@stat.lu.se

SUMMARY

A goodness-of-fit test to examine exponentiality is introduced which can be used with small and large samples. The properties of the test statistic are studied. Critical values for different sample sizes are presented. The investigation of power of the proposed test under various alternatives demonstrates that the proposed test statistic performs well uniformly for all studied alternatives.

Some key words: Cox-Snell residuals; extreme value distribution; exponentiality test; goodness-of-fit; order statistics; power analysis.