



LUND UNIVERSITY

Response Patterns in Finger and Central Body Skin Temperatures Under Mild Whole Body Cooling

Kuklane, Kaleb; Vanggaard, Leif; Smolander, Juhani; Holmér, Ingvar

Published in:
Arbete och hälsa

2011

[Link to publication](#)

Citation for published version (APA):

Kuklane, K., Vanggaard, L., Smolander, J., & Holmér, I. (2011). Response Patterns in Finger and Central Body Skin Temperatures Under Mild Whole Body Cooling. *Arbete och hälsa*, 45(5), 50-50.

Total number of authors:
4

General rights

Unless other specific re-use rights are stated the following general rights apply:
Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

50) Response patterns in finger and central body skin temperatures under mild whole body cooling.

Kalev Kuklane¹, Leif Vanggaard², Juhani Smolander¹, Ingvar Holmér¹

¹The Thermal Environment Laboratory, Division of Ergonomics and Aerosol Technology, Department of Design Sciences, Faculty of Engineering, Lund University, Sweden

²Danish Arctic Institute, Strandgade 102, DK 1402, Copenhagen K, Denmark

Introduction: The actual heat loss may be underestimated especially in studies employing mild whole-body cooling, if AVA-rich distal areas are not taken into account. In the present report, we illustrate the skin temperature response pattern in fingers (rich in AVAs) to transient whole-body cooling as compared to non-acral body sites (without AVAs).

Methods: Eight men participated in the study. During the test the subjects were dressed in shorts, socks and shoes and stayed seated with the arms on insulated supports at heart level. The air temperature of 32 °C was after 25 minutes gradually reduced to 13 °C (0.2 °C/min). Core, finger (sulcus lateral to the nailbed) and non-acral skin (8 points) temperatures were measured.

Results: During cooling the mean skin temperature in all subjects decreased at a similar rate. Higher variation in the end of the cooling could be explained by differences in body fat ($R^2=0.902$). Simultaneously, the finger cooling could start with up to about 1 hour difference in different subjects.

Discussion and conclusion: Mean skin temperature did not give any idea on when the subjects left thermal neutrality. It is strongly recommended to measure finger (or toe) temperatures when maintaining the thermal comfort of the subjects in dynamic conditions is important.

NR 2011;45(5)

55th Nordic Work Environment Meeting
(Nordiska Arbetsmiljömötet)

The Work Environment – Impact of Technological, Social and Climate Change

*Editors: Maria Albin, Johanna Alkan-Olsson, Mats Bohgard,
Kristina Jakobsson, Björn Karlson, Peter Lundqvist,
Mikael Ottosson, Fredrik Rassner, Måns Svensson, and
Håkan Tinnerberg.*

VETENSKAPLIG SKRIFTSERIE

ARBETE OCH HÄLSA

NR 2011;45(5)

55th Nordic Work Environment Meeting
(Nordiska Arbetsmiljömötet)

The Work Environment – Impact of Technological, Social and Climate Change

*Editors: Maria Albin, Johanna Alkan-Olsson, Mats Bohgard,
Kristina Jakobsson, Björn Karlson, Peter Lundqvist,
Mikael Ottosson, Fredrik Rassner, Måns Svensson, and
Håkan Tinnerberg.*

ARBETE OCH HÄLSA

|

VETENSKAPLIG SKRIFTSERIE

ISBN 978-91-85971-32-9

ISSN 0346-7821