

LUND UNIVERSITY

Look Here, Eye Movements Play a Functional Role in Memory Retrieval.

Johansson, Roger; Johansson, Mikael

Published in: **Psychological Science**

DOI: 10.1177/0956797613498260

2014

Link to publication

Citation for published version (APA): Johansson, R., & Johansson, M. (2014). Look Here, Eye Movements Play a Functional Role in Memory Retrieval. *Psychological Science*, *25*(1), 236-242. https://doi.org/10.1177/0956797613498260

Total number of authors: 2

General rights

Unless other specific re-use rights are stated the following general rights apply: Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

· Users may download and print one copy of any publication from the public portal for the purpose of private study

or research.
You may not further distribute the material or use it for any profit-making activity or commercial gain

· You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: https://creativecommons.org/licenses/

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117 221 00 Lund +46 46-222 00 00

Look here, eye movements play a functional role in memory retrieval

Roger Johansson¹ & Mikael Johansson²

¹Department of Cognitive Science, Lund University ²Department of Psychology, Lund University

Address correspondence to:

Roger Johansson

Cognitive Science Department, Lund University

Helgonabacken 12, 223 62 Lund, Sweden,

Phone: +46 (0)46 222 84 40, Email: Roger.Johansson@lucs.lu.se.

Journal:

Psychological Science, a Journal of the Association for Psychological Science (APS)

http://pss.sagepub.com/

Article type:

Research Report

Submitted: 03/13/2013

Revision Accepted: 06/25/2013

Abstract

Research on episodic memory has established that spontaneous eye movements occur to spaces associated with the retrieved information even if those spaces are blank at the time of retrieval. While it has been claimed that such looks to "nothing" can function as facilitatory retrieval cues, there is currently no conclusive evidence for such an effect. The present study addressed this fundamental issue via direct eye manipulations in the retrieval phase of an episodic memory task: (1) free viewing on a blank screen, (2) maintaining central fixation, (3) looking inside a square congruent with the location of the to-be-recalled objects, and (4) looking inside a square incongruent with the location of the to-be-recalled objects. Results provide novel evidence of an active and facilitatory role of gaze position during memory retrieval and demonstrate further that memory for the spatial relationship between objects is more readily affected than memory for intrinsic object features.

Keywords

eye movements, memory retrieval, episodic memory, encoding-recall, visual attention

Look Here, Eye Movements Play a Functional Role in Memory Retrieval

Spontaneous eye movements occur during visuospatial imagery and recent research suggests that they mirror the content and spatial relations of currently retrieved episodic memories (Johansson, Holsanova, Dewhurst, & Holmqvist, 2012). However, the role of such eye movements remains elusive. Do they have an active and functional role facilitating the retrieval of visuospatial information, or are they merely an epiphenomenon contingent upon the operation of mnemonic mechanisms? The present study addressed this fundamental issue via a direct manipulation of eye movement constraints during an episodic memory task, and provides new evidence of a facilitatory role of eye movements.

Episodic memory enables us to travel back in time and re-experience previous events in great detail (Tulving, 1983). Cognitive neuroscience models of memory suggest that such reexperiencing during retrieval is based on the reinstatement of cortical processes that were active at the time of the previous experience (e.g., Marr, 1971; Norman & O'Reilly, 2003). Accumulating evidence supports this notion by demonstrating common neural systems activated during perception and retrieval (e.g. Nyberg, Habib, McIntosch, & Tulving, 2000; Wheeler, Petersen, & Buckner, 2000; see Danker & Anderson, 2010; Kent & Lamberts, 2008; Rugg, Johnson, Park, & Uncapher, 2008, for reviews).

Episodic remembering is considered to depend on the interaction between retrieval cues and stored memory traces (Tulving, 1983). Two principles have been forwarded to explain the effectiveness of the retrieval cues: "encoding specificity" (Tulving & Thompson, 1973) and "transfer-appropriate processing" (Morris, Bransford, & Franks, 1977). Both of these principles maintain that the greater the overlap between the processing engaged during

encoding and retrieval, the greater the likelihood of successful retrieval. The importance of the compatibility between encoding and retrieval conditions has been underscored by a vast body of memory research (see e.g. Roediger & Guynn, 1996, for review).

Thus, remembering involves the reinstatement of the processes that were active during encoding, and the chance of remembering is best when the processes engaged by a retrieval cue overlap with those engaged at encoding. To what extent do these principles generalize to the interplay between gaze behavior and memory retrieval? Recent research suggests that recognition of scenes and faces may improve when participants look at the same features of the stimuli during study and test (Foulsham & Kingstone, 2013; Holm & Mäntylä, 2007; Mäntylä & Holm, 2006). Remarkably, it has also been shown that the oculomotor system reactivates spontaneously during memory retrieval when there is only a blank screen to look at (e.g., Brandt & Stark, 1997; Johansson, Holsanova, & Holmqvist, 2006; Laeng & Teodorescu, 2002; Richardson & Spivey, 2000; Spivey & Geng, 2001). Although it has been claimed that these so called eye movements to "nothing" can act as facilitatory cues during memory retrieval (cf. Ferreira, Apel, & Henderson, 2008; Richardson, Altman, Spivey, & Hoover, 2009), there is to date no conclusive evidence for such a functional role.

Two previous studies have manipulated eye movements on a blank screen during episodic memory retrieval by restricting gaze behavior to a central fixation cross at the center of the screen, and reported an impaired memory performance as compared with free viewing (Laeng & Teodorescu, 2002; Johansson et al., 2012). However, it is possible to attribute the lowered performance in those cases to a higher cognitive load due to the additional task of maintaining gaze on the fixation cross (cf. Johansson et al., 2012; Mast & Kosslyn, 2002). Moreover, a

recent study failed to observe any consequence of eye position during memory retrieval (Martarelli & Mast, 2012) and previous studies without eye movement manipulations have failed to find an influence of gaze position on retrieval accuracy (Richardson & Spivey, 2000; Spivey & Geng, 2001), thus the overall picture remains unclear.

The present study departs from previous research in several ways. First, our paradigm imposed eye movement restriction during visuospatial memory retrieval (free viewing vs. central fixation) of an arrangement of multiple objects. Previous studies have typically focused on memory for visual properties of single objects (Laeng & Teodorescu, 2002; Matarelli & Mast, 2012; Spivey & Geng, 2001) or on verbal memory for spoken information (Richardson & Spivey, 2000). Second, we considered the role of participants looking at a specific location that did or did not correspond to the sought-after memories (congruent vs. incongruent). It has been argued that eye movements function as "spatial indexes" and that those indexes are a part of the internal memory representation for an object or an event. When some part of this episodic trace is accessed during subsequent memory retrieval an eye movement is considered to be spontaneously triggered towards the indexed location (Altmann, 2004; Richardson & Spivey, 2000). We thus tested the idea that positioning the eves on a congruent location increases the likelihood of successful retrieval. Third, we investigated the extent to which interactions between eye movements and visuospatial memory retrieval depend on the nature of the queried memory representation. Much evidence suggests that the ventral ("what") and dorsal ("how/where") streams of visual processing (Milner & Goodale, 1995; Ungerleider & Mishkin, 1982) establish the bases for object and location memory respectively (e.g., Farah et al., 1988; Pollatsek, Rayner, & Henderson, 1990). It is conceivable that the influence of eye movements on visuospatial remembering

may be different for intrinsic object features as compared with the spatial relationship between two or more objects. This issue has not been examined in previous work and we therefore included a comparison of memory for intrinsic object features with memory for the spatial arrangement between objects (intra vs. inter item memories). Fourth, in contrast to previous work, our analyses of memory performance included response times (RT), which provide a complementary and potentially more sensitive measure of the availability of the sought-after memory trace as compared with binary measures of accuracy (cf. Sternberg, 1969).

Given that gaze behavior has a functional role in memory retrieval, we expected memory performance to be superior a) in the free viewing as compared with the central fixation condition, and b) when eye fixation location was spatially congruent as compared with incongruent with the sought-after memory.

Method

Participants

Twenty-four native Swedish-speaking students at Lund University (15 female) participated in the experiment (mean age 24.5 years; SD = 7.1). All reported normal or corrected-to-normal vision.

Apparatus and stimuli

Stimuli were presented via Experiment Center 3.1 at a 480×300 mm monitor (running at 1680×1050 pixel resolution), while eye movements were measured using an SMI iView


This is a post-referecing final draft. When citing, please refer to the published version: Johansson, R., & Johansson, M. (2013). Look here, eye movements play a functional role in memory retrieval. *Psychological science*. doi:10.1177/0956797613498260


http://pss.sagepub.com/content/early/2013/10/28/0956797613498260

RED500, tracking binocularly at 500 Hz. Data were recorded using iView X 2.5 following 5point calibration plus validation (average measured accuracy was 0.49° ; $SD = 0.10^{\circ}$). Fixations were detected with a saccadic velocity-based algorithm (with a minimum velocity threshold of 40° /s). 96 pictures of objects (280×262 pixels) were selected from an online database (<u>www.clipart.com</u>). Auditory stimuli consisted of 576 statements (2500-4500 ms in length). The statements served as test probes (questions with a yes/no answer) and were spoken by a female voice.

Design and procedure

The experiment was divided into four runs with each run comprising an encoding phase and a recall phase (see Fig. 1)





Encoding phase. Participants studied 24 objects distributed in four quadrants of the computer screen. Each quadrant contained six objects from one of four themes: *humanoids, animals, things,* and *vehicles*. Half the objects within each quadrant were facing the right and the other

This is a post-referecing final draft. When citing, please refer to the published version: Johansson, R., & Johansson, M. (2013). Look here, eye movements play a functional role in memory retrieval. *Psychological science*. doi:10.1177/0956797613498260

http://pss.sagepub.com/content/early/2013/10/28/0956797613498260

half facing the left. The encoding procedure was performed in the following sequence. First, a list naming the 6 thematic objects of a quadrant was presented. The objects were then visually presented in the quadrant of the screen (30 s). Participants orally named each object and its orientation. They were then free to inspect the objects and try to remember as much as possible about their orientation and spatial arrangement. Following the same procedure for the remaining quadrants and themes, all 24 objects were inspected simultaneously with the task to rehearse the objects' orientation and spatial arrangement (60 s).

Recall phase. Participants listened to 48 statements of two types: *intra-object* concerning the orientation of an object (e.g., the car was facing the left) and *inter-object* concerning the spatial arrangement between two objects of the same theme (e.g., to the right of the car, the train was located), and responded orally by saying 'yes' or 'no' to the statement. They were encouraged to answer as correct and as fast as possible without guessing. The recall phase comprised four eye movement conditions: (1) *free viewing* on a blank screen, (2) *central fixation*, (3) looking inside a square *congruent* with the location of the to-be-recalled objects, and (4) looking inside a square *incongruent* with the location of the to-be-recalled objects. Each condition comprised 12 statements (6 intra, 6 inter). The free viewing and central fixation conditions were presented in blocked fashion whereas the congruent and incongruent trials were intermingled across two blocks. Participants were not informed that the quadrant would be either congruent or incongruent with the location of the target object. Over the entire experiment each participant responded to 192 statements (96 intra-objet and 96 inter-object) with an equal number of true and false statements. Participants were given 8 seconds to respond following statement offset. The order of intra-object and inter-object statements

and true and false statements was randomized. The order of the four eye movement conditions was counterbalanced in a latin square design within subject over the four runs.

The size of the square in the congruent and incongruent condition was the same as the stimulus pictures. The location of the square in the incongruent condition was always dislocated 840 pixels in the horizontal dimension and 262 pixels in the vertical dimension (the maximum distance that could be implemented in a consistent way for all 24 locations).

Data analyses

Repeated measures ANOVAs were conducted using the factors of eye movement condition and memory type (intra- vs. inter-object statements) and response accuracy and RTs as dependent variables. Accuracy was quantified as the discrimination measure Pr (hits minus false alarms; Snodgrass & Corwin, 1988). RTs were quantified as the time between the offset of a spoken statement and the onset of the response. RTs were collapsed over all hits into a median RT for each condition and participant. Trials where participants executed saccades larger than 3° away from the fixation cross or outside the square (3° away from the center of the square) were excluded.

Results

Spontaneous eye movements to "nothing"

Eye movement data from the free viewing condition were analyzed to assess where participants spontaneously looked during memory retrieval (see Fig. 2). Results revealed a main effect of quadrant, F(3,69) = 27.186, p < .001, $\eta^2 = .54$, 95% CI [.37, .65]. Follow-up tests using Bonferroni correction showed that the proportion of fixation was significantly

This is a post-referecing final draft. When citing, please refer to the published version: Johansson, R., & Johansson, M. (2013). Look here, eye movements play a functional role in memory retrieval. *Psychological science*. doi:10.1177/0956797613498260

http://pss.sagepub.com/content/early/2013/10/28/0956797613498260

higher in the quadrant relevant to the memory task than in all the other three quadrants (p < .001). There was no effect involving the factor memory type. These results replicate previous findings (Richardson & Spivey, 2000; Spivey & Geng, 2001) and demonstrate that eye movements are reliably executed towards empty locations where information was previously encoded. Moreover, a paired samples *t*-test revealed that the overall gaze distance was significantly longer during inter-object than during intra-object trials, t(23) = 2.348, p < .05, d = .48, 95% CI [.05, .90] (see Supplemental Material available online for further details).




Fig 2. Mean proportion fixations in the four quadrants of the screen during memory retrieval in the free viewing condition. The quadrant that corresponded with the original location of the retrieved objects was coded as the 'critical' quadrant and the other three quadrants as 1-3 in a clockwise direction. Error bars represent standard errors.

Constraining eye movements to a central fixation

The hypothesis that memory performance is impaired when one is not allowed to execute spontaneous eye movements to "nothing" was tested by contrasting the free viewing and central fixation conditions (Fig. 3a). Analysis of response accuracy revealed a significant

main effect of memory type, F(1,23) = 15.484, p < .01, $\eta^2 = .40$, 95% CI [.11, .62], which was due to better performance to inter-object than intra-object statements, but no reliable effect of eye movement condition. A significant interaction between eye movement condition and memory type was observed for RTs, F(1,23) = 10.296, p < .01, $\eta^2 = .31$, 95% CI [.04, .55]. Interestingly, follow-up analyses revealed a detrimental effect of the eye movement constraint that was observed in prolonged RTs for inter-object statements, t(23) = 4.08, p < .001, d =.83, 95% CI [.36, 1.29]. No reliable difference was found for intra-object statements.

Constraining eye movements to a congruent versus incongruent location

The final and crucial set of analyses concerned the impact of constraining eye movements to a location that differed in the extent to which it corresponded with the encoding location of the to-be-remembered information (Fig. 3b). Analysis of accuracy revealed better memory performance to inter-object as compared with intra-object statements, F(1,23) = 17.523, p < .001, $\eta^2 = .43$, 95% CI [.13, .64]. More importantly, however, participants demonstrated a reliable benefit of looking at a congruent location, both in terms of accuracy, F(1,23) = 13.443, p < .01, $\eta^2 = .37$, 95% CI [.08, .60], and RTs, F(1,23) = 14.809, p < .001, $\eta^2 = .39$, 95% CI [.10, .62] This pattern of results lends new support to the notion of gaze position playing a functional role in memory retrieval. Furthermore, given that the task was identical in the congruent and the incongruent conditions (constraining eye movements to a smaller space), these results cannot be explained as a mere artifact due to increased cognitive load induced by a secondary task.

This is a post-refereeing final draft. When citing, please refer to the published version:

Johansson, R., & Johansson, M. (2013). Look here, eye movements play a functional role in memory retrieval. *Psychological science*. doi:10.1177/0956797613498260

http://pss.sagepub.com/content/early/2013/10/28/0956797613498260




Fig 3. Mean memory performance as measured by the discrimination measure Pr (Hits – False alarms) and mean response time (RT) for correct responses (displayed separately for intra-object and inter-object statements). The top panel (a) shows results for the eye movement conditions of free viewing on a blank screen and maintaining central fixation. The bottom panel (b) shows results for the eye movement conditions of looking inside a square

congruent with the location of the to-be-recalled objects, and looking inside a square incongruent with the location of the to-be-recalled objects. Error bars represent standard errors.

Discussion

The present study employed multiple eye movement conditions to examine the role of gaze behavior in episodic memory retrieval. Taken together, our results provide new evidence of a facilitatory influence of gaze position during remembering.

First, it was demonstrated that hindering eye movements can influence visuospatial remembering. A central fixation constraint perturbed retrieval performance (as indicated by longer RT) for inter-object representations. This finding adds weight to previous results (Laeng & Teodorescu, 2002; Johansson et al., 2012), and further suggests that the impact of eye movements on visuospatial memory may differ depending on the nature of the memory representation one is searching for. The results indicate that memory for the spatial relationship between objects is more readily affected than memory for intrinsic object features.

Second, our results confirm that memory retrieval is indeed facilitated when eye movements are manipulated towards a blank area that corresponds with the original location of the to-berecalled object. Results were robust both in respect to memory accuracy and RTs and evident irrespective of memory type. Looking at a congruent location thus facilitated retrieval of both intra-object and inter-object memory representations. Importantly, this facilitatory effect cannot be attributed to a difference in cognitive resources taxed by the compared conditions (in previous research: free viewing vs. central fixation), since both the congruent and incongruent conditions were characterized by identical eye movement constraints (to look inside a square).

Experience in everyday life constantly reminds us that our memories often are a subject of distortion. We may misremember properties of past events and completely fail to retrieve a desired fact or previous episode. Distorted memories and inaccurate retrieval of this kind often depend on insufficient retrieval cues. The present study demonstrates that how and where you launch your eye movements provide important retrieval cues for visuospatial remembering. Thus, remembering is not only accompanied by eye movements that mirror the retrieved content, we here demonstrate that gaze positions showing a compatibility between encoding and retrieval conditions increases the likelihood of successful episodic remembering (cf. Tulving, 1983). This is a novel finding that extends previous literature and informs current theoretical models of episodic memory.

This is a post-refereeing final draft. When citing, please refer to the published version: Johansson, R., & Johansson, M. (2013). Look here, eye movements play a functional role in memory retrieval. *Psychological science*. doi:10.1177/0956797613498260

http://pss.sagepub.com/content/early/2013/10/28/0956797613498260

Authorship

Data collection and analysis were performed by R.J. R.J. and M.J. designed the research and wrote the paper. Both authors approved the final version of the paper for submission.

Acknowledgments

The current study was supported by the Linnaeus center for Thinking in Time: Cognition, Communication, and Learning (CCL) at Lund University, which is funded by the Swedish Research Council (grant no. 349-2007-8695). Special thanks to Richard Dewhurst for valuable input on the experimental design.

References

- Altmann, G. T. M. (2004). Language-mediated eye movements in the absence of a visual world: the 'blank screen paradigm'. *Cognition*, *93*, 79-87.
- Brandt, S. A., & Stark, L. W. (1997). Spontaneous eye movements during visual imagery reflect the content of the visual scene. *Journal of Cognitive Neuroscience*, *9*, 27–38.
- Danker, J. F., & Anderson, J. R. (2010). The ghosts of brain states past: Remembering reactivates the brain regions engaged during encoding. *Psychological Bulletin, 136*, 87-102.
- Farah, M. J., Hammond, K. M., Levine, D. N., & Calvanio, R. (1988). Visual and spatial mental imagery: Dissociable systems of representation. *Cognitive Psychology*, 20, 439–462.
- Foulsham, T., & Kingstone, A. (2013). Fixation-dependent memory for natural scenes: An experimental test of scanpath theory. *Journal of Experimental Psychology: General*, 142, 41-56.
- Ferreira, F. Apel, A., & Henderson, J. M. (2008). Taking a new look at looking at nothing. *Trends in Cognitive Science*, *12*, 405-410.
- Holm, L., & Mäntylä, T. (2007). Memory for scenes: Refixations reflect retrieval. *Memory & Cognition*, 35(7), 1664–1674.
- Johansson, R., Holsanova, J., & Holmqvist, K. (2006). Pictures and spoken descriptions elicit similar eye movements during mental imagery, both in light and in complete darkness. *Cognitive Science*, 30, 1053-1079.
- Johansson, R., Holsanova, J., Dewhurst, R., & Holmqvist, K. (2012). Eye movements during scene recollection have a functional role, but they are not reinstatements of those produced during encoding. *Journal of Experimental Psychology: Human Perception & Performance*, 38, 1289-1314.

- Kent, C., & Lamberts, K. (2008). The encoding-retrieval relationship: retrieval as mental simulation. *Trends in Cognitive Sciences*, *12*, 92–98.
- Laeng, B., & Teodorescu, D.-S. (2002). Eye scanpaths during visual imagery reenact those of perception of the same visual scene. *Cognitive Science*, *26*, 207-231.
- Mäntylä, T., & Holm, L. (2006). Gaze control and recollective experience in face recognition. *Visual Cognition*, 14, 365-386.
- Marr, D. (1971). Simple memory: a theory for archicortex. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 262, 23–81.
- Martarelli, C. S., & Mast, F. W. (2012). Eye movements during long-term pictorial recall. *Psychological Research*. (Epub ahead of print.).
- Mast, F. W., & Kosslyn, S. M. (2002). Eye movements during visual mental imagery. *Trends in Cognitive Sciences*, *6*, 271–272.
- Milner, A. D., & Goodale, M. A. (1995). *The visual brain in action*. Oxford, England: Oxford University Press.
- Morris, C. D., Bransford, J. D., & Franks, J. J. (1977). Levels of processing versus transfer appropriate processing. *Journal of Verbal Learning and Verbal Behavior*, *16*, 519–533.
- Norman, K. A., & O'Reilly, R. C. (2003). Modeling hippocampal and neocortical contributions to recognition memory: a complementary-learning-systems approach. *Psychological Review*, 110, 611–646.
- Nyberg, L., Habib, R., McIntosh, A. R., & Tulving, E. (2000). Reactivation of encodingrelated brain activity during memory retrieval. *Proceedings of the National Academy of Sciences USA*, 97, 11120–11124.

- Pollatsek, A., Rayner, K., & Henderson, J. M. (1990). Role of spatial location in integration of pictorial information across saccades. *Journal of Experimental Psychology: Human Perception and Performance*, 16, 199-210.
- Richardson, D. C., & Spivey, M. J. (2000). Representation, space and Hollywood Squares: looking at things that aren't there anymore. *Cognition*, *76*, 269-295.
- Richardson, D. C., Altmann, G. T. M., Spivey, M. J., & Hoover, M. A. (2009). Much ado about eye movements to nothing: a response to Ferreira et al.,: Taking a new look at looking at nothing, *Trends in Cognitive Science*, *13*, 235-236.
- Roediger, H. L., III, & Guynn, M. J. (1996). Retrieval processes. In E. L. Bjork & R. A. Bjork (Eds.), *Memory* (pp. 197–236). San Diego: Academic Press.
- Rugg, M. D., Johnson J. D., Park, H., & Uncapher M. R. (2008). Encoding-retrieval overlap in human episodic memory: a functional neuroimaging perspective. *Progress in Brain Research*, 169, 339–352.
- Snodgrass, J. G., & Corwin, J. (1988). Pragmatics of measuring recognition memory:
 Applications to dementia and amnesia. *Journal of Experimental Psychology: General*, 117, 34–50.
- Spivey, M., & Geng, J. (2001). Oculomotor mechanisms activated by imagery and memory: eye movements to absent objects, *Psychological Research*, 65, 235-241.
- Sternberg, S. (1969). Memory-scanning: Mental processes revealed by reaction-time experiments. *American Scientist*, *57*, 421-457.
- Tulving, E. (1983). Elements of Episodic Memory. Oxford, England: Clarendon Press.
- Tulving, E., & Thomson, D. M. (1973). Encoding specificity and retrieval processes in episodic memory. *Psychological Review*, *80*, 352-373.

Ungerleider, L. G., & Mishkin, M. (1982). Two cortical visual systems. In D. J. Ingle, M. A.

Goodale, & R. J. W. Mansfield (Eds.), Analysis of visual behavior (pp. 549-586).

Cambridge, MA: MIT Press.

Wheeler, M. E., Petersen, S. E., & Buckner, R. L. (2000). Memory's echo: vivid remembering reactivates sensory-specific cortex. *Proceedings of the National Academy of Sciences USA*,

97, 11125–11129.