



LUND UNIVERSITY

Gastrointestinal Cancer Metastasis

Chen, Jin-Lian; Gurski, Richard Ricachenevsky; Takahashi, Keiichi; Andersson, Roland

Published in:
Gastroenterology Research and Practice

DOI:
[10.1155/2012/415498](https://doi.org/10.1155/2012/415498)

2012

[Link to publication](#)

Citation for published version (APA):
Chen, J.-L., Gurski, R. R., Takahashi, K., & Andersson, R. (2012). Gastrointestinal Cancer Metastasis. *Gastroenterology Research and Practice*, Article 415498. <https://doi.org/10.1155/2012/415498>

Total number of authors:
4

General rights

Unless other specific re-use rights are stated the following general rights apply:
Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

Editorial

Gastrointestinal Cancer Metastasis

Jin-Lian Chen,¹ Richard Ricachenevsky Gurski,² Keiichi Takahashi,³ and Roland Andersson⁴

¹ Department of Gastroenterology, School of Medicine, Shanghai East Hospital, Tongji University, Shanghai 200120, China

² Division of Digestive Surgery, Department of General Surgery, Medical School, Hospital de Clinicas de Porto Alegre, Federal University of Rio Grande do Sul, Porto Alegre, RS, Brazil

³ Department of Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center, Komagome Hospital, 3-18-22 Honkomagome, Bunkyo-ku, Tokyo 113-8677, Japan

⁴ Department of Surgery, Clinical Sciences, Lund, Skåne University Hospital and Lund University, 22185 Lund, Sweden

Correspondence should be addressed to Jin-Lian Chen, wqq_021002@163.com

Received 28 November 2012; Accepted 28 November 2012

Copyright © 2012 Jin-Lian Chen et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

It is well acknowledged that the poor prognosis of gastrointestinal cancer is largely due to metastasis, which is the biological hallmark of malignant tumors. Metastasis is considered to be a multistep process in which malignant tumor cells spread inconsecutively from original site to distant organs. As for cancers of gastrointestinal tract, the common target site for metastasis is liver, lymph nodes, peritoneal, and, subsequently, lung and other sites of the body, which in single or as a whole, is the major cause of gastrointestinal cancer-related deaths.

Therefore, the early diagnosis and effective treatment of gastrointestinal cancer metastasis is of vital importance, which may lead to substantial elongation of life expectancy of gastrointestinal cancer patients. In order to make further progressions in early diagnosis and intervention, the following three directions should be put due emphases on in future research.

Firstly, the cellular and molecular mechanisms of gastrointestinal cancer metastasis should be clarified, such as the mechanisms of local angiogenesis, the heterogeneity of cancer cells, the cross-talk and cascade of signaling transduction systems, the decreased expression of cell adhesion molecules such as E-cadherin, and so on. To elucidate these mechanisms and to block relevant molecular pathways provides the most promising perspectives in the fight against gastrointestinal cancer metastasis. And additionally, there are several interesting and enlightening hot points: the relationship between stromal microenvironment and metastatic destination; the role of cancer stem cells in metastasis;

and how malignant cells get metastasis ability, inherent or acquired?

The second direction is to find out specific and sensible biomarkers of gastrointestinal cancer metastasis and to predict the potential metastasis, to facilitate early diagnosis, which is up to now mainly dependent on insensitive and costly radiographic examinations. And the third one is the optimization of comprehensive treatment including surgical intervention.

In this special issue, eight articles on gastrointestinal cancer metastasis are presented. One article discussed the advantages and disadvantages of repeated liver resection in patients with recurrent colorectal liver metastasis. One article reported that N-desulfated heparin is capable of suppressing the metastasis of gastric cancer through inhibiting tumor bFGF expression and tumor angiogenesis with no obvious anticoagulant activity. Yet another article is on the relevance between dietary salt intake and the risk of gastric cancer. The other five articles highlighted four kinds of potential biomarkers for gastrointestinal cancer screening and early diagnosis of metastasis, namely urine-free amino acid, ki-67 antigen, mir-21 and epidermal growth factor receptor (EGFR). J. Fan and his colleagues, through analyzing amino acids in urine samples of gastric cancer patients and healthy volunteers, figured out that urine-free amino acid profiling is of potential value for screening or diagnosing gastric cancer. D. Navarini and his colleagues, from Brazil, reviewed thirty-seven patients who underwent esophagectomy without presurgical chemotherapy or radiotherapy from 2000 to

2010, analyzed the level of EGFR expression and life span, and concluded that EGFR expression is related to higher TNM staging and shorter survival.

Despite the obvious advancements made in the research of gastrointestinal cancer metastasis these years, the outcomes are far from final satisfaction, and thus it is still a field that deserves and calls for intensive and thorough research in the future.

Acknowledgments

At last, please allow us to express our appreciation to all guest authors and researchers for their hard work and contribution to this special issue.

*Jin-Lian Chen
Richard Ricachenevsky Gurski
Keiichi Takahashi
Roland Andersson*