












DoE 529-2307-02---12 Centrifuge stress test


Measurements information

Measurement	Bar code	Starting date	Ref. scan	Duration	No scans	T(°C)	Bottom of the cell	Meniscus	Comments
 529-2307-02		Aug 30 2023, 02:44:44 PM	0s	2h 7mn49s	4	24.25	0.80	45.74	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-03		Aug 30 2023, 02:45:54 PM	0s	2h 7mn30s	4	24.25	0.80	44.43	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-04		Aug 30 2023, 02:47:18 PM	0s	2h 7mn 9s	4	24.38	0.80	45.55	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-05		Aug 30 2023, 02:48:11 PM	0s	2h 7mn 4s	4	24.38	0.80	44.33	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-06		Aug 30 2023, 02:49:06 PM	0s	2h16mn37s	4	24.50	0.80	41.53	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-07		Aug 30 2023, 02:50:05 PM	0s	2h16mn29s	4	24.50	0.80	47.21	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf


Measurement	Bar code	Starting date	Ref. scan	Duration	No scans	T(°C)	Bottom of the cell	Meniscus	Comments
 529-2307-08		Aug 30 2023, 02:51:07 PM	0s	2h16mn21s	4	24.50	0.80	43.83	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-09		Aug 30 2023, 02:51:55 PM	0s	2h16mn26s	4	24.50	0.80	43.06	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-10		Aug 30 2023, 02:52:43 PM	0s	2h23mn26s	4	24.50	0.80	42.84	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-11		Aug 30 2023, 02:53:37 PM	0s	2h23mn21s	4	24.50	0.80	43.26	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf
 529-2307-12		Aug 30 2023, 02:54:56 PM	0s	2h22mn51s	4	24.50	0.80	42.22	Provupparbetning: Centrifugering 1000 rcf 2 min i centrifug F185. Mätningar: Initial + n*10 min centrifugering 3500 rcf

Delta T & BS


Delta Transmission & Backscattering - 529-2307-02




Delta Transmission & Backscattering - 529-2307-03




Delta Transmission & Backscattering - 529-2307-04




Delta Transmission & Backscattering - 529-2307-05




Delta Transmission & Backscattering - 529-2307-06




Delta Transmission & Backscattering - 529-2307-07




Delta Transmission & Backscattering - 529-2307-08




Delta Transmission & Backscattering - 529-2307-10




Delta Transmission & Backscattering - 529-2307-11




Delta Transmission & Backscattering - 529-2307-12




Transmission & Backscattering - 529-2307-03




Transmission & Backscattering - 529-2307-04




Transmission & Backscattering - 529-2307-05




Transmission & Backscattering - 529-2307-06




Transmission & Backscattering - 529-2307-07




Transmission & Backscattering - 529-2307-08




Transmission & Backscattering - 529-2307-09



Transmission & Backscattering - 529-2307-10



Transmission & Backscattering - 529-2307-11



Transmission & Backscattering - 529-2307-12

