

Dendrokronologisk analys. Dopfunt från Upplandsmuseet

Eggertsson, Olafur

1999

Document Version: Förlagets slutgiltiga version

Link to publication

Citation for published version (APA):

Eggertsson, O. (1999). Dendrokronologisk analys. Dopfunt från Upplandsmuseet. Lund University.

Total number of authors:

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study

- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: https://creativecommons.org/licenses/

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



LUND UNIVERSITY

DEPARTMENT OF QUATERNARY GEOLOGY

KVARTÄRGEOLOGISKA AVDELNINGEN



DENDROKRONOLOGISK ANALYS

Laboratoriet för Vedanatomi och Dendrokronologi

Uppdragsgivare: Upplandsmuseet, att: Stefan Kriig, RAÄ, UV-Syd,

Åkergränd 8, 226 60 Lund

Socken/Stad: Uppsala Pro

Prov nr: A

Antal prover: 1

Dendrokronologiskt objekt: Dopfunt från Upplandsmuseet

Bearbetat av: Ólafur Eggertsson

Information: Dendrokronologisk datering av ett borrprov från en dopfunt från Uppsala. Datering av ytterste årsringen i provet 1248. Enligt Stefans K. uppfattning saknas c. 4 cm till bakytan. Det finns medeltal 15 (+/-2) ringar per cm beräknad på de befintliga provet. Uppskattningsvis kommer man då fram till att trädets fällningsår är: 1310 +/- 10 år.

Resultat:

CATRAS dendro	Trädslag	Antal radie	Antal årsringar	prov nr:	Datering (fällningstid)*
62713	tall	1	148		1310 +/- 10 år

Mätresultaten kommer att bevaras på laboratoriet och utnyttjas i universitetets forskning.

Proverna kommer att ingå i RAÄ's arkiv och förvaltas av laboratoriet

Med hälsning och önskan om fortsatt samarbete

fil. dr. Ólafur Eggertsson, universitetslektor

Sweden