



LUND UNIVERSITY

A Literature Survey of Assertions in Software Testing

Taromirad, Masoumeh; Runeson, Per

Published in:

8th International Conference on the Engineering of Computer Based Systems

DOI:

[10.1007/978-3-031-49252-5_8](https://doi.org/10.1007/978-3-031-49252-5_8)

2023

Document Version:

Peer reviewed version (aka post-print)

[Link to publication](#)

Citation for published version (APA):

Taromirad, M., & Runeson, P. (2023). A Literature Survey of Assertions in Software Testing. In T. Margaria, & J. Krofron (Eds.), *8th International Conference on the Engineering of Computer Based Systems* (Lecture Notes in Computer Science; Vol. 14390). Springer. https://doi.org/10.1007/978-3-031-49252-5_8

Total number of authors:

2

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

A Literature Survey of Assertions in Software Testing

Masoumeh Taromirad
Lund University and Jönköping University
masoumeh.taromirad@cs.lth.se

Per Runeson
Lund University
per.runeson@cs.lth.se

August 2023

Abstract

Assertions are one of the most useful automated techniques for checking program’s behaviour and hence have been used for different verification and validation tasks. We provide an overview of the last two decades of research involving ‘assertions’ in software testing. Based on a term-based search, we filtered the inclusion of relevant papers and synthesised them w.r.t. the problem addressed, the solution designed, and the evaluation conducted. The survey rendered 119 papers on assertions in software testing. After test oracle, the dominant problem focus is test generation, followed by engineering aspects of assertions. Solutions are typically embedded in tool prototypes and evaluated throughout limited number of cases while using large-scale industrial settings is still a noticeable method. We conclude that assertions would be worth more attention in future research, particularly regarding the new and emerging demands (e.g., verification of programs with uncertainty), for effective, applicable, and domain-specific solutions.

keywords. assertions, testing, literature survey.

1 Introduction

While there is abundance of research regarding the selection of test inputs and execution conditions, the assessment of expected results is less covered. Research on the expected results of test cases is often framed as “the oracle problem”, with Weyuker as an early contributor, observing 1982 that “[a]lthough much of the testing literature describes methodologies which are predicated on both the theoretical and practical availability of an oracle, in many cases such an oracle is pragmatically unattainable” [82].

Barr et al. [6] surveyed the research literature related to oracles and classified oracles into specified, derived, implicit, and no automatable ones. Among the concepts identified in their survey are ‘assertions’, defined as “a boolean expression that is placed at a certain point in a program to check its behaviour at runtime”. Despite being dated back to Turing and integrated into programming languages, testing tools and practices of today, they only found a few pieces of work specifically focused on assertions [16]. As our current research develops around assertions, we decided to survey the existence of assertions, for testing purposes, in more recent research.

Our research goal is to provide an overview of existing research literature on assertions in software testing, to provide a basis for further research. As our research “aims to improve an area of

practice”, we choose the design science paradigm as a lens for this literature survey, as proposed by Engström et al. [25]. We search for literature that uses assertions or addresses problems with assertions in software testing. In line with design science elements, we catalogue the *problems* addressed in relation to assertions, the *solutions* designed to address the problems with or using assertions, and the types of *evaluation*, assessing the strength and relevance of the contributions.

We present existing literature surveys on testing in Section 2. Our methodology is outlined in Section 3, followed by the main results – the literature overview and synthesis in Section 4. We discuss our findings in Section 5, report limitations in Section 6, and conclude the paper in Section 7.

2 Background and Related work

Assertions are used to check program’s behaviour at runtime: when an assertion evaluates to true (false), the program’s behaviour is regarded “as intended” (“as erroneous”) at the point of the assertion. They have gained significant attention and been used as a measure for code quality. Most dominantly, *program assertions* are used either to check the behaviour of the program, e.g., Blasi et al. [8], or to specify and check the contracts within the design by contract development.

Test oracle assertions (test assertions for short) are also used to specify and check the expected output of test cases [6]. Test assertions differ from program assertions as they check the expected output for one specific test case, while program assertions are typically located in the source code of the program, predicate on its variables, and return true or false throughout all its executions. Nevertheless, in many studies, program assertions and test oracle assertions are considered very closely or even interchangeably, e.g., Terragni et al. [74].

Specification assertions are also used to document programmers intent [16], i.e. modules are annotated with pre/post-conditions or invariants, e.g., JML. Specification assertions are basically non-executable and hence are inherently different from the other two types of assertions, although they seamlessly can be exploited at various stages of development for verification [54]. Our study basically focuses on test oracle assertions, yet designed to be inclusive of other types of assertions when they relate or contribute to testing.

Assertions (and their application) in software testing have been mostly studied under surveys on the test oracle problem, e.g., [6,55,61]. Among the 101 secondary studies, identified by Garousi and Mäntylä [32], only one is related to assertions, namely the one by Barr et al. [6] which reports on the roots of assertions, and existing support in languages and tools to use them for testing purposes. Surveys on automatic test generation techniques also consider assertions. Patel and Hierons [59] discuss the effectiveness and usability of assertions – among others – in testing non-testable systems. In a mapping study on software test-code engineering, Garousi et al. [29] identify oracle assertion adequacy as a criterion of test-code quality assessment. In a survey on software testability [30], adding assertions is identified as an approach to improve testability. Winkler et al. [83] identify assertions as one of the factors affecting test code readability and understandability.

In summary, there are many secondary (and even tertiary) studies on software testing, but to our knowledge, there is no study specifically focusing on assertions used in software testing, and thus our survey fills a gap here.




Figure 1: Overview of the research method.

3 Research method

This study provides an overview of research involving (different types of) *assertions* used in the context of software testing. We follow similar research procedures as used in the literature surveys conducted by Harman et al. [4, 6], namely a term-based search in Google Scholar, followed by a filtering process, and finally synthesized in a qualitative analysis. This type of reviews, i.e., *semi-systematic reviews*, is proposed by Snyder [69], in particular, for a non-homogeneous concept (similar to the target of our survey), where systematic literature reviews would be too strict, and a narrative approach is more feasible. Kitchenham et al. [38] label a similar process *mapping study* that “may be auditable but not necessarily complete”; that they should have transparent procedures but the search scope may be limited. In this paper, we aim to “map a field of research, synthesize the state of knowledge, and create an agenda for further research” [69].

This survey was conducted in four major steps which were iterated in several cycles (demonstrated in Fig. 1). The first author was the main driver of the work, while the second author primarily took a validation role at each step.

1. Search To include also grey literature, Google scholar was used as the primary search engine [31], with a query defined as: “assertion” AND “software” AND (“test” OR “testing”). We limited the search in time to the 2000–2023 to get an overview of modern research on assertions, still partially overlapping with earlier surveys to ensure consistency (e.g. Barr et al. covered 1978–2012 [6]). The initial search rendered about 173 000 hits.

2. Screening The titles and abstracts were screened to find papers on assertions, although being inclusive when in doubt. After about 5 000 titles, no more relevant papers were found among the last dozens of titles. The screening resulted in a set of about 380 papers before further classification of the papers. To validate the search and screening, we used the same query in our university’s library search portal, limiting the search to title and abstract within the context of software testing. The results were further screened for relevance and overlap resulting in 86 additional papers, and hence, the initial pool of about 470 papers.

3. Classification We then performed a preliminary coding of the papers, based on the type of the study and then the type of assertion, resulting in five categories: 1) secondary studies, 2) empirical studies, 3) studies explicitly on testing, 4) studies involving program assertions, and 5) studies on assertion-based verification. Firstly, we filtered out category 1 studies, as they were already considered under the related work. We also excluded the papers in category 5, since they are fundamentally related to hardware. Moreover, throughout the preliminary coding, we found out that the studies in category 4 are divided into two groups of 1) studies totally separate from testing, and 2) studies that are related to testing, and hence, we excluded the first group from the further classification. Accordingly, we came up with 119 papers on assertions related/contributing to testing. We further classified the remaining papers according to the design science elements of *problem*, *solution*, and *validation*.

4. Synthesis Finally, we synthesised the research from the perspectives of 1) the *problems* addressed, 2) the *solutions* presented, and 3) how they are *evaluated*. The design science perspectives are motivated by earlier research, concluding that this frame is feasible for software engineering research [25]. The results are presented in Section 4 accordingly. The complete listing of the synthesis (including 119 papers) is available as complementary material at <https://shorturl.at/ruCHL>.

4 Results

This section presents the results of reviewing the studies through characterising three aspects of each study: the addressed *problem* (Section 4.2), the main proposed *solution* (Section 4.3), and how the proposal was *evaluated* (Section 4.4). It also outlines the *type* of assertions considered in the studies (Section 4.1). Throughout a few iterations over the studies, these aspects were narrowed down using more fine-grained and consistent taxonomy (presented in Figure 2), that provides a comprehensive picture of the existing research on assertions in testing.

4.1 Assertion Types

Among our collection of studies, the three types of assertions are identified, which are considered for different purposes in the context of testing. Evidently, most of the studies deal with *test assertions*, where assertions are manipulated as the result of performing other tasks, such as automatically generating assertions [90] or improving their effectiveness [18]. Empirical studies (e.g., [41, 68]) also focus on test assertions investigating them from different perspectives. *Program assertions* are also found among the studies for testing purposes – rather than just program verification. In such studies, program assertions are employed as part of the *solution* in order to fulfill a goal, such as generating test data (e.g., [87, 92]). *Specification assertions* are also employed for generating tests (e.g., [23, 43]).

4.2 Assertion Problems

The *problem* aspect looks into the principal focus of the research. The problems, addressed by the collected studies, include test oracle, test generation, test regression, test smells, specific applications




Figure 2: Overview of the resulting taxonomy of the literature synthesis.

(e.g., Mobile Apps, GUI, ML), and test improvements. Note that these classes recognise the most distinguishing problem addressed by a piece of research, and hence, they are not necessarily disjoint.

4.2.1 Test Oracle

While assertions are useful for specifying test oracles, writing and generating effective assertions are yet challenging [6]. Test oracle problem has been considered from different perspectives, including lack of specification, automatic generation of assertions statements, improving assertion oracles, and assertions based on specifications.

Specification of the intended behavior of the software under analysis is essential for assertion oracles. The *lack of such specification* has led to different techniques to capture the software behavior, and then generate assertions accordingly. Given an automatically generated test suite with no assertions, Ostra [86] collects objects' states, exercised by the test suite, and augments the test suite with new assertions specifying the behavior of a method. Zamprogno [91] propose to automatically generate assertions for a given test case, based on its previous executions and feedback of the developer. EvoSpex [52] uses genetic algorithms to automatically produce a specification of the method's current behavior, in the form of postcondition assertions. Mesbah et al. [48] use a crawler to infer a state-flow graph of user interface states and then identify AJAX-specific faults and DOM-tree invariants that can serve as oracles. TOGA [22] is a unified transformer-based neural approach to infer both exceptional and assertion test oracles for a focal method, that in particular handles units with ambiguous or missing documentation.

Assertion recommendation focuses on automatic generation of candidate assertion statements. Agitator [9] applies software agitation to facilitate test automation and recommends assertions

based on observations of a code’s behaviour. DODONA [44] ranks program variables based on the interactions and dependencies, and accordingly proposes a set of variables to be monitored within test oracles. Pham et al. [33] generate candidate assertions based on test cases and then apply active learning techniques to iteratively refine them. DSpot [18] takes developer-written test cases as input and synthesizes improved versions of them by triggering new behaviors and adding new assertions. Valueian et al. [79] employ an Artificial Neural Network to construct automated oracles for low observable software based on tests inputs and verdict. Abdi et al. [1] address test amplification for dynamically typed languages (e.g., Pharo), and exploit profiling information to infer the necessary type information creating special test inputs with corresponding assertions.

OASIs [34] is a search-based tool for improving oracle, using test case generation and mutation testing to reveal false positives and false negatives, respectively. Given a set of assertions and a set of correct and incorrect program states, GAssert [74] employs a co-evolutionary algorithm that explores the space of possible assertions to identify oracle with fewer false positives and false negatives. Xie et al. [87] propose a mutation analysis approach for strengthening the assertions of parameterised unit tests. Fraser and Zeller [28] present a mutation-based assertion generation, within EvoSuite [27], optimised towards satisfying a coverage criterion. ATLAS [80] is a deep learning (DL)-based approach to generate meaningful assert statements for test methods based on existing unit tests. Yu et al. [90] introduce an IR-based assertion retrieval technique and a technique to adjust the assertions based on the context, that are more effective in generating a long sequence of tokens comparing to ATLAS. Tufano et al. [77] propose an approach to generate accurate and useful assertions using transformer model finetuned on the task of generating assert statements for unit tests.

Specification-based assertions can effectively reveal faults, up to their limit [17], and hence have been employed in specifying test oracle. Xie and Memon [85] automate GUI test oracles by inserting “assert” statements in test cases based on the formal specifications, i.e., pre/postconditions of GUI events. Zhao and Harris [94] introduce an approach to generate assertions directly from the natural language specifications employing semantic analysis of sentences in the specification document. Franke et al. [26] propose a method that identifies life cycle dependent properties in the application specification, and derives test cases for validation. MeMo [8] automatically derives metamorphic equivalence relations from natural language documentation (given in Javadoc comments), which are then used as oracles in automatically generated test cases.

Runtime assertion checkers transparently ensure that the specification assertions hold during program execution [16]. JML (or an extension of JML) and its runtime assertion checker(s) are notably employed for testing in different context, such as testing conformance of safety-critical systems [73], specifying metamorphic relations [54], testing services in the Home Automation System [62], testing concurrent object-oriented software [5]. Cheon and Leavens [13,14] propose to use a specification language’s runtime assertion checker (e.g., JML) to decide whether methods work correctly, and hence automating the test oracles. Pastore et al. [58] introduce CrowdOracles, exploiting CrowdSourcing idea in the context of test oracle problem, and demonstrate that CrowdOracles are a viable solution to automate the oracle problem, yet taming the crowd to get useful results is a difficult task.

In summary, the studies in the *test oracle* category focus on how to generate assertions, what (kind of) information can be used for generating assertions, how to automate or augment the assertion generation process to have more effective assertions.

4.2.2 Test Generation

Assertions have been considered in the context of test generation addressing different challenges including generating either complete tests or part of a test, such as test data and input/output pair. Mirshokraie et al. [51] leverage existing DOM-dependent assertions in human-written UI-based test cases to automatically generate assertions for unit-level testing of JavaScript code. TESTILIZER [50] learns from existing human-written assertions to generate assertions for unchecked portions of the web application.

In *Assertion-based Testing*, program assertions are combined with automated test (data) generation in order to find assertion violations effectively. Zeng et al. [92], automatically convert program dynamic invariants into program assertions, which are then used to direct the test generation process. Mayer [47] develops an assertion-based testing framework and a tool to generate runtime checks based on the specification annotations, for the Go programming language.

Specification assertions are also used as the basis to automatically generate tests. Korat [10] uses a method precondition to automatically generate all test cases up to a given size and the method postcondition as a test oracle. Similarly, Jarteg [56] randomly generates test cases for Java classes specified in JML, which are used to eliminate irrelevant test cases and serve as a test oracle. Søndergaard et al. [73] use JML annotations to model conformance constraints – in a safety-critical system – in order to generate JUnit tests as well as runtime assertion checks. Higher-level specification languages (and their assertions) are also employed for test generation. Li and Sun [43] translate Z formal models into their UML/OCL counterparts and JUnit tests (containing assertions). TestEra [37] generates test inputs based on Alloy specifications using Alloy SAT solver. Stoyanova et al. [72] introduce a test generation process based on WS-BPEL, having assertions at different levels (HTTP, SOAP and BPEL variable), for testing web services. Drusinsky et al. [23] propose an automatic, JUnit-based, white-box testing of statechart prototypes augmented with statechart assertions.

Using more recent ML-based techniques, A3Test [2] presents a DL-based test case generation approach that uses a pre-trained language model of assertions to improve test case generation from language models (e.g., AthenaTest).

In summary, different types of assertions have been basically employed to direct *test generation* in order to generate complete tests or part of them, such as test data and test oracle.

4.2.3 Specific Applications

Specialised assertions – in contrast to general-purpose assertions – have been introduced addressing special requirements in particular domains. For multi-agent system development, Tiryaki et al. [75] introduce a specialized assertion method for agent level verification. Delamare et al. [21] extend JUnit with new types of assertions to specify the expected joinpoints in aspect-oriented programming using AspectJ. Chang et al. [76] introduce visual assertions to verify whether certain GUI interaction generates the desired visual feedback. Koesnander et al. [40] introduce web macro assertions to encode the expectations and assumptions of a website developed by non-technical users.

Verification and validation of applications with inherent, uncertain outcomes (e.g., machine learning programs) requires new types of assertions. Dutta et al. [24] present FLEX which uses *approximate assertions* to compare the actual and expected values, while systematically identify the acceptable bound between the actual and expected output which minimizes flakiness. Kang et

al. [36] introduce model assertions – that could be ‘exact’ or ‘soft’, which adapts the classical use of program assertions as a way to monitor and improve ML models.

Assertions are also adapted for *specific purposes*, in addition to typical testing, such as fault localisation, detecting merge conflicts, and test-suite reduction. Salehi Fathabadi et al. [64] use a formal model of the APIs of independently developed components to generate a set of assertions embedded in the implementation. Xuan and Monperrus [88] present spectrum-driven test case purification for improving fault localization, that generates purified versions of failing test cases, which include only one assertion per test. Sequeira [66] provide an automated technique to determine the DOM dependencies for each test assertion (on DOM), so that assertion failures are connected to the underlying JavaScript code which help finding the cause of failures. Pariente and Signoles [57] propose a method to trigger security counter-measures, based on static detection and runtime assertion checking of program weaknesses. Knauth et al. [39] recommend assertion-driven development instead of test-driven development and introduce meta-mutations at the code level to simulate common programmer errors. An assertion-aware test-suite reduction technique has been proposed by Chen et al. [12]. Messaoudi et al. [49] use assertion-based backward slicing to decompose complex system test cases into smaller, separate ones. Petke and Blot [60] suggest to consider the output of test case assertions in fitness functions for test-based program repair using genetic algorithms. Fang and Lam [95] introduce assertion fingerprint to identify suitable candidates in refactoring test suites. TOM [35] is a tool that detects merge conflicts with the help of assertions that are defined on the variables that have different values.

In summary, the *specific applications* category demonstrates that assertions are useful for many different purposes. With specialised syntax and semantics, assertions may support specific problems more effectively.

4.2.4 Test Regression

Regression tests can fail not only due to faults in the program but also due to obsolete tests which do not reflect the behavior of the updated program. Moonen et al. [53] introduce “test-driven refactoring” in that general code refactorings are induced by (re)structuring tests, for example to remove assertion roulette. Sakakibara et al. [63] develop an assertion-based mechanism to eliminate unnecessary dependencies between test code and objects in order to decrease invalidated tests due to changes in a code. ReAssert [19] automatically repairs broken unit tests by for example changing assertion methods. ReAssert combines analysis of a test’s dynamic execution with analysis and transformation of the static structure of test code. WATER [15] suggests repairs for web application test scripts (test assertions), employing differential testing in that the behavior of tests on two successive versions of the application are compared and analysed. Xu et al. [89] introduce TestFix to fix broken JUnit test cases by synthesizing new method calls. TestFix regards the assertion of a broken test as a constraint and relies on the information about changes between versions of the software to guide the search of method-call sequences that meet the constraint.

In summary, the studies in *test regression* category largely address test obsolescence as the most known reason for test evolution, and introduce automatic test repair techniques that mostly focus on changing assertions and use assertion-based mechanisms.

4.2.5 Test Smells

Test smells, poorly designed tests, negatively affect the comprehensibility and the maintainability of the test code [7], and therefore, they have been investigated and considered in many studies, e.g., [71] [20]. Assertion Roulette (i.e., several assertions with no explanation within the same test method) is found as the most frequent and riskiest test smell [84]. RAID [65] provides automated detection of lines of code affected by test smells, namely Assertion Roulette and Duplicate Assert, and a semi-automated refactoring for Java projects using JUnit. Soares et al. [70] present a set of refactorings – exploiting specific features of JUnit 5 – that help to remove test smells. RTj [46] is a framework for detecting and refactoring rotten green test cases, i.e., tests that pass but contain assertions that are never executed, using static analysis and dynamic analysis. Vahabzadeh et al. [78] recognise incorrect and missing assertions as the dominant root cause of silent horror test bugs, i.e., those test that pass, while the production code is incorrect. Wei et al. [81] introduce an ML-based approach for labelling unit tests according to the AAA pattern (i.e., the Arrangement, Action, and Assertion), as a best practice towards better code comprehension and less maintenance effort.

In summary, the studies in the *test smells* category largely aim to prevent test quality degradation due to badly designed tests and hence, introduce techniques to automatically detect test smells, in particular assertion roulette.

4.2.6 Engineering Aspects

There are many studies that focus on, so-called, engineering aspects of using assertions in software development, including the impact of using assertions, comparison between different techniques or types of assertions, and good practices in using assertions. These studies consider assertions in a more general context in comparison to the aforementioned problems.

The application of assertions as test oracles is empirically investigated by Shrestha and Rutherford [68]. Li and Offutt [42] investigate the ability of test oracles (that vary in amount and frequency of program state checked) to reveal failures. The adequacy of assertions in test suite, particularly in the context of automated test generation has been investigated in several studies, e.g., [96] [67] [3]. Zhang and Mesbah [93] find a strong correlation between the number of assertions in a test suite with its effectiveness. The relation between developers’ experience and assertion density is then investigated by Catolino et al. [11], showing that such experience is a significant factor in effective testing.

The effect of fluent assertions on comprehensibility of tests is investigated by Leotta et al. [41], demonstrating that adopting AssertJ (a fluent assertion library in JUnit) has no significant effect on the level of comprehension, though it significantly improves the efficiency in their comprehension. Ma’ayan [45] studied the quality of real world unit tests and reported that they don’t follow the well-known good patterns (in particular using the right assertions) for writing tests.

In summary, the studies of the *engineering aspects* category tend to empirically investigate the application of assertions in software development in order to provide rigorous evidence of the benefits developers gain by using assertions and/or discover the best practices in the context.

4.3 Solutions

In order to have an expressive view over the proposals in our collection, the solution of each study is characterised by 1) the main *technique(s)* that specifies the essence of the proposal, 2) the target *domain/language* for that the solution is ultimately actualised and implemented (if applicable), and 3) the *tooling* support which could be either a prototype implementation or within an existing tool. Note that the studies considering the engineering aspects are excluded herein, since they inherently do not provide any particular solution, in the way it is investigated in this section, except very few of them. Also, the information was collected based on the papers as the only source of our survey, and is hence limited to what is explicitly provided.

4.3.1 Technique

By technique, the very core idea of the proposed solution is determined. While the technique(s) are (have to be) eventually implemented and hence, shaped within a context (e.g., language and domain) considering all of its restrictions and capabilities, herein we abstract from such details and tend to provide a high-level view of the techniques within limit. The main classes of techniques, identified throughout our survey, are summarised in this section.

Learning and evolutionary algorithms have been used in several studies, particularly among the ones on assertion generation. Pham et al. [33] use active learning techniques to generate assertions. A combination of evolutionary and learning based techniques have been applied in EvoSpex [52] to automatically generate specifications. GASSERT [74] applies a co-evolutionary algorithm that explores the space of possible assertions to improve test oracles. Valueian et al. [79] employ an Neural Network algorithm to construct automated test oracles for low observable software. A3Test [2] uses a pre-trained language model of assertions to generate assertions in test case generation process.

The application of *static analysis* is considered as a promising technique in the literature, in different context. Zeng et al. [92] automatically generate assertions based on program invariants. Pariente and Signoles [57] generate runtime assertions checks based on static detection of CWEs¹.

A number of studies *exploit test execution* in generating or improving test oracles. Xie [86] adds assertions based on the object states collected throughout previous test executions. Employing a search-based algorithm for improving assertions, Jahangirova [34] combine test case generation to reveal false positives and mutation testing to reveal false negatives. Test case execution logs are used in DS3 [49] to determine dependencies among test slices. Mutation analysis has been also used by Fraser and Zeller [28] to improve the fault detection capability of test oracles, by Knauth et al. [39] to assess the quality of the assertions, and by Xie et al. [87] for analyzing PUTs written by developers and identifying likely locations in PUTs for improvement.

In several studies, a *specific-purpose assertion* is introduced, that is typically defined on top of an existing assertion language/construct, through an extended syntax and semantics, and a novel assertion evaluation technique. Corduroy [54] introduces metamorphic assertions, built on top of Java Modelling Language (JML). Model assertions [36] adapt the classical use of program assertions, tailored to the specific needs of ML programs, in particular uncertainty in output.

¹Common Weakness Enumerations – <https://cwe.mitre.org>

Table 1: Evaluation Methods vs. Assertion Problems

Problem	Evaluation Method			
	Limited	Many/Large	Benchmark	Empirical
Test Oracle	16	18	2	3
Test Generation	12	4	1	-
Specific Application	6	5	1	3
Test Regression	4	1	-	-
Test Smells	2	1	-	13
Engineering Aspects	3	1	1	17
Total	43	30	5	36

4.3.2 Domain/Language

A wide range of domains and languages are considered by the collected papers, though with different density. In addition to solutions for general and typical programs, that are the target of many studies, the proposed solution in many studies are applicable to specific types of programs, e.g., Machine Learning programs [24] [36], web/mobile applications [26], and GUI [85].

The solutions can also be characterised regarding the language for which the solution is introduced. While the most common language is Java (e.g., [86] [34] [33] [74] [52]), a variety of other general-/specific-purpose languages have been covered, including JavaScript/TypeScript [91], Go [47], and Pharo Smalltalk [1]. Other solutions (e.g., [79] [49]) are not limited to a specific programming language and are applicable to programs in different languages. For example, Valueian et al. [79] demonstrate the application of their solution on programs in Java, C, C++, Verilog, and VHDL. There are also a number of studies that consider a higher level of abstraction and introduce their solutions for specific types of models, such as UML statecharts [23], Alloy models [37], Z Specification [43], WS-BPEL [72], and Machine Learning models [36].

4.3.3 Tool Support

Most of the solutions are embedded in and supported by *tool prototypes* that are typically available online. A number of studies use a chain of available tools to implement and demonstrate their solutions (e.g., [17] [77]). One study [9] introduces its solution as part of a commercial tool (Agitator). Studies in the engineering aspects category and the empirical studies are exempted to have prototypes or any other implementation support and few papers (e.g., [92] [60]) have not explicitly mentioned how the solution is implemented.

4.4 Evaluation

Looking into how the proposals of the collected studies have been evaluated, we identified four main classes of the evaluation methods, namely *limited experiments*, *many/large experiments*, *benchmarks*, and *empirical & judgement*, that are described in the following. Note that most of the studies, excluding the ones looking into the engineering aspects, provide a proof of concept through developing a prototype of the tooling support for their proposed solutions, which is not considered herein as evaluation. There are few papers that do not present any evaluation which is however

compatible to their types of study, such as short paper (e.g., [60]) or report on ongoing study (e.g., [87]). Table 1 summarises evaluation methods w.r.t. the assertion problems.

4.4.1 Limited Experiments

This type of evaluation provides preliminary and limited evidence of the application of the proposed techniques or tools, in that, for example, the effectiveness of the proposals and how the proposal meets its goal(s), is demonstrated throughout a limited number of case studies (e.g., up to 10 cases), e.g., [94] [64], or by limited artificial experiments (e.g., by manually generating or adding required information [68] [39]). In our collection of 119 papers, the evaluation of 43 studies fall into this category; the studies focusing on *test generation* and *test oracle/assertion generation* have the main portion among this group (28 studies in total).

4.4.2 Many/Large Experiments

Several studies provide more convincing evaluation results by assessing their solutions on many cases (e.g. > 10) or throughout one or more experiments in an industrial setting. Large, open-source or public projects or repositories, for example on GitHub, have been used in evaluation experiments (e.g., [86] [33] [12]), that is, mostly used in the studies that address *assertion generation*. Some of the studies use real systems/applications that are under operation to demonstrate the usefulness and/or the cost-effectiveness of their proposals, such as using an Aircraft e-Maintenance application [57].

4.4.3 Benchmarks

Few studies have used benchmarks to evaluate and demonstrate properties of their solutions. Different sets of benchmarks (e.g., regarding size, application, and domain) were used depending on the target and context of a study. Messaoudi et al. [49] use a proprietary benchmark of 30 complex system test cases to assess the effectiveness and efficiency of their solution in slicing system test cases. The quality of EvoSpex [52] was assessed on a benchmark of open source Java projects in SF110². Alagarsamy et al. [2] use Defects4J repository to evaluate A3Test’s performance. Ji et al. [35] firstly design the benchmark MCon4j and then use it to evaluate the effectiveness of their solutions.

4.4.4 Empirical & Judgement

Some of the studies investigate and demonstrate *empirical evidence* regarding a particular research question or of the use of a technique or tool in practice. They may use surveys or interview among a certain number of participants (e.g., [91]), or use more formal experimental methods (e.g., controlled experiment [41]). Most of the studies in this category, look into the *engineering aspects* of the use of assertions, that is however obvious considering their intention.

5 Discussion

This section summarizes the research findings following the same structure we used to review our collection of studies, and synthesise the results.

²<https://www.evosuite.org/experimental-data/sf110/>

Assertion Problems. The dominant problem focus is the oracle problem. About 34% of the studies (41) address the substantial challenge of specifying the expected output or behaviour in tests using assertions. They largely investigate different types of information that can be used for generating or defining test oracle (assertions) and how to automate or augment the assertion generation process to improve effectiveness, efficiency, and practicality.

Engineering aspects is the second premier focus. About 20% of studies provide empirical evidence of the benefits to gain by using assertions and also point out challenges and obstacles in effective application of assertions in practice.

The third group of studies (about 15%) employ assertions to direct test generation tasks, such as generating test data. The use of assertions for specific applications, addressed in 16 studies, demonstrates that assertions are useful and could support specific problems more effectively. Among different specific domains, limited studies address uncertainty in outputs, which however, considering the emerging use of ML, require more research. The same of number of studies focus on poorly designed tests. Most of these studies investigate how test smells affect test quality, whereas few of them introduce techniques to detect and fix test smells. Finally, few studies address test regression due to program evolution which mostly introduce automatic test repair techniques.

Solutions. Most of the solutions are embedded in and supported by tool prototypes that are generally available online. About 85% of the studies excluding those considering the engineering aspects, since they inherently do not provide any particular solution.

As described in Section 4.3.1, many and various techniques have been previously introduced in the literature and therefore, they are not completely categorised. However, a number of techniques and ideas are more visible among others. Learning and evolutionary algorithms have been used as a promising technique in many recent studies (20 out of 119 papers), particularly among the ones focusing on test oracle and test generation. Nearly the same amount of papers suggest integrating static analysis and dynamic testing to improve the effectiveness of either testing and/or static program analysis. Defining a specific-purpose assertion language, including syntax, semantics, and possibly a new assertion checking method, is a common proposal among the studies, e.g., the studies addressing uncertainty in output.

While a wide range of domains and languages are considered in the collected papers, general software programs and C/C++ and Java programming languages are the target of the most of the studies (about 60%). While Java is a broadly used programming language, it is important for the assertions research to also take other languages into account. For example, in machine learning applications, Python is frequently used, which may be a specific target for assertions.

Evaluation. As demonstrated in Table 1, the largest set of studies have been evaluated throughout limited number of cases. The evaluation of 43 studies, out of 119 papers, fall into this category, where the studies focusing on test oracle and test generation have the main portion among this group (28 studies in total). Empirical and judgement is the next more common evaluation method, that is obviously used in the studies that focus on engineering aspects and also the studies on test smells. A quarter of the studies, largely on test oracle, evaluate their proposals using many experiments or within large-scale industrial cases. Benchmarks are used in five studies.

To ensure the relevance for practice, research has to go beyond small scale proofs of concept. Among the surveyed studies, one third are evaluated in more realistic cases, which is promising. However, for future research, we would like to see even more focus on the scaling and relevance aspects.

6 Limitations

The main issues related to threats to validity of this survey are incomplete set of studies in our collection and imprecise data extraction that are fundamentally because of the researcher bias in choosing search terms, the search engine, and the targeted databases, as well as, the exclusion/inclusion criteria. A very basic method to address these issues is to conduct a survey in a structured way; we accordingly carried out a semi-systematic review throughout four major steps, which were iterated in several cycles and carefully defined and reported.

To reduce the risk of incomplete set of primary sources, Google Scholar was used with a general search query which would render a large amount of studies, including grey literature, as the initial pool. To minimise researchers' bias, the second author took a validation role and double checked the work done by the first author. Design science paradigm was used as a lens for this survey, that was motivated by earlier research concluding that this frame is feasible for software engineering research. In order to ensure conclusion validity, the classification and synthesis were performed repeatedly, and the outcome of each turn was discussed between the authors to avoid any misunderstanding.

7 Conclusion

In this survey, we provide an overall picture of research work on assertions in software testing, within the last two decades of research. Using a term-based search, a collection of relevant papers was selected and then the papers were reviewed and synthesised with respect to the design science elements, namely the problem addressed, the solution proposed, and the evaluation method. The synthesis demonstrated that test oracle is the dominant problem focus, followed by engineering aspects of assertions and assertions in test generation. Solutions include a wide range of techniques and are typically embedded in tool prototypes. They are mostly consider general applications and languages, e.g., Java. This however, suggest to consider other languages that are getting attention more recently (e.g., Python). The proposals are by large evaluated within a limited number of cases while using large-scale industrial settings is also visible. Nevertheless, in order to support practice, research has to go beyond small scale experiments since scaling up analyses to large code bases is an essential challenge. We conclude that assertions would be worth more attention in future research, particularly regarding the new and emerging demands (e.g., wide-spread applications of software, verification of applications with uncertain outputs), for effective, applicable, and domain-specific solutions, as well as more focus on the scaling and relevance aspects.

Acknowledgements. This work is funded by the ELLIIT strategic research area (<https://elliit.se>), project 'A19 – Software Regression Testing with Near Failure Assertions'.

References

- [1] M. Abdi, H. Rocha, S. Demeyer, and A. Bergel. Small-amp: Test amplification in a dynamically typed language. *Empirical Software Engineering*, 27(6):128, 2022.
- [2] S. Alagarsamy, C. Tantithamthavorn, and A. Aleti. A3test: Assertion-augmented automated test case generation, 2023. arXiv:2302.10352.

- [3] M. Moein Almasi, Hadi Hemmati, Gordon Fraser, Andrea Arcuri, and Janis Benefelds. An industrial evaluation of unit test generation: Finding real faults in a financial application. In *2017 IEEE/ACM 39th International Conference on Software Engineering: Software Engineering in Practice Track (ICSE-SEIP)*, pages 263–272, 2017.
- [4] S. Anand, E. K. Burke, T. Y. Chen, J. A. Clark, M. B. Cohen, W. Grieskamp, M. Harman, M. J. Harrold, and P. McMinn. An orchestrated survey of methodologies for automated software test case generation. *J. Syst. Softw.*, 86(8):1978–2001, 2013.
- [5] W. Araujo, L.C. Briand, and Y. Labiche. On the effectiveness of contracts as test oracles in the detection and diagnosis of race conditions and deadlocks in concurrent object-oriented software. In *Proceedings International Symposium on Empirical Software Engineering and Measurement (ESEM)*, pages 10–19, 2011.
- [6] E. T. Barr, M. Harman, P. McMinn, M. Shahbaz, and S. Yoo. The oracle problem in software testing: A survey. *IEEE Trans. Software Eng.*, 41(5):507–525, 2015.
- [7] Gabriele Bavota, Abdallah Qusef, Rocco Oliveto, Andrea De Lucia, and Dave Binkley. Are test smells really harmful? an empirical study. *Empirical Software Engineering*, 20(4):1052–1094, 2015.
- [8] A. Blasi, A. Gorla, M. D. Ernst, M. Pezzè, and A. Carzaniga. MeMo: Automatically identifying metamorphic relations in javadoc comments for test automation. *Journal of Systems & Software*, 181:N.PAG–N.PAG, 2021.
- [9] M. Boshernitsan, R. Doong, and A. Savoia. From daikon to agitator: lessons and challenges in building a commercial tool for developer testing. In *Proceedings of the 2006 international symposium on Software testing and analysis, ISSTA '06*, pages 169–180. ACM, 2006.
- [10] C. Boyapati, S. Khurshid, and D. Marinov. Korat: automated testing based on java predicates. *ACM SIGSOFT Software Engineering Notes*, 27(4):123–133, 2002.
- [11] G. Catolino, F. Palomba, A. Zaidman, and F. Ferrucci. How the experience of development teams relates to assertion density of test classes. In *IEEE International Conference on Software Maintenance and Evolution (ICSME)*, pages 223–234, 2019. ISSN: 2576-3148.
- [12] J. Chen, Y. Bai, D. Hao, L. Zhang, L. Zhang, and B. Xie. How do assertions impact coverage-based test-suite reduction? In *2017 IEEE International Conference on Software Testing, Verification and Validation (ICST)*, pages 418–423, 2017.
- [13] Y. Cheon, M. Kim, and A. Perumandla. A complete automation of unit testing for java programs. Technical Report UTEP-CS-05-05, University of Texas at El Paso, 2005.
- [14] Y. Cheon and G. T. Leavens. A simple and practical approach to unit testing: The JML and JUnit way. In Boris Magnusson, editor, *ECOOP 2002 — Object-Oriented Programming*, Lecture Notes in Computer Science, pages 231–255. Springer, 2002.
- [15] S. R. Choudhary, D. Zhao, H. Versee, and A. Orso. WATER: Web application TEst repair. In *Proceedings of the First International Workshop on End-to-End Test Script Engineering, ETSE '11*, pages 24–29. ACM, 2011.

- [16] L. A. Clarke and D. S. Rosenblum. A historical perspective on runtime assertion checking in software development. *ACM SIGSOFT Software Engineering Notes*, 31(3):25–37, 2006.
- [17] D. Coppit and J.M. Haddox-Schatz. On the use of specification-based assertions as test oracles. In *29th Annual IEEE/NASA Software Engineering Workshop*, pages 305–314, 2005. ISSN: 1550-6215.
- [18] B. Danglot, O.L. Vera-Pe´rez, B. Baudry, and M. Monperrus. Automatic test improvement with DSpot: a study with ten mature open-source projects. *Empirical Software Engineering*, 24(4):2603–2635, 2019.
- [19] B. Daniel, T. Gvero, and D. Marinov. On test repair using symbolic execution. In *Proceedings of the 19th international symposium on Software testing and analysis, ISSTA ’10*, pages 207–218. ACM, 2010.
- [20] M. De Stefano, F. Pecorelli, D. Di Nucci, and A. De Lucia. A preliminary evaluation on the relationship among architectural and test smells. In *2022 IEEE 22nd International Working Conference on Source Code Analysis and Manipulation (SCAM)*, pages 66–70, 2022. ISSN: 2470-6892.
- [21] R. Delamare, B. Baudry, S. Ghosh, and Y. Le Traon. A test-driven approach to developing pointcut descriptors in AspectJ. *IEEE IEEE Comput. Soc. IEEE Comput. Soc.*, 2009.
- [22] E. Dinella, G. Ryan, T. Mytkowicz, and S. K. Lahiri. TOGA: A neural method for test oracle generation. pages 2130–2141, 2022.
- [23] D. Drusinsky, M.-T. Shing, and K.A. Demir. Creation and validation of embedded assertion statecharts. In *Seventeenth IEEE International Workshop on Rapid System Prototyping (RSP’06)*, pages 17–23, 2006. ISSN: 1074-6005.
- [24] S. Dutta, A. Shi, and S. Misailovic. FLEX: fixing flaky tests in machine learning projects by updating assertion bounds. In *Proceedings of the 29th ACM Joint Meeting on European Software Engineering Conference and Symposium on the Foundations of Software Engineering, ESEC/FSE 2021*, pages 603–614. ACM, 2021.
- [25] E. Engström, M. Storey, P. Runeson, M. Höst, and M. T. Baldassarre. How software engineering research aligns with design science: A review. *Empir. Softw. Eng.*, 25:2630–2660, 2020.
- [26] D. Franke, S. Kowalewski, C. Weise, and N. Prakobkosol. Testing conformance of life cycle dependent properties of mobile applications. In *Verification and Validation 2012 IEEE Fifth International Conference on Software Testing*, pages 241–250, 2012. ISSN: 2159-4848.
- [27] G. Fraser and A. Arcuri. EvoSuite: automatic test suite generation for object-oriented software. In *Proceedings of the 19th ACM SIGSOFT symposium and the 13th European conference on Foundations of software engineering, ESEC/FSE ’11*, pages 416–419. ACM, 2011.
- [28] G. Fraser and A. Zeller. Mutation-driven generation of unit tests and oracles. *IEEE Trans. Software Eng.*, 38(2):278–292, 2012.
- [29] V. Garousi, Y. Amannejad, and A. Betin Can. Software test-code engineering: A systematic mapping. *Inf. Softw. Technol.*, 58:123–147, 2015.

- [30] V. Garousi, M. Felderer, and F. N. Kılıçaslan. A survey on software testability. *Inf. Softw. Technol.*, 108:35–64, 2019.
- [31] V. Garousi, M. Felderer, and M. V. Mäntylä. Guidelines for including grey literature and conducting multivocal literature reviews in software engineering. *Inf. Softw. Technol.*, 106:101–121, 2019.
- [32] V. Garousi and M. V. Mäntylä. A systematic literature review of literature reviews in software testing. *Inf. Softw. Technol.*, 80:195–216, 2016.
- [33] L. H. Pham, L. L. Tran Thi, and J. Sun. Assertion Generation Through Active Learning. In Zhenhua Duan and Luke Ong, editors, *Formal Methods and Software Engineering*, LNCS, pages 174–191, Cham, 2017. Springer.
- [34] G. Jahangirova, D. Clark, M. Harman, and P. Tonella. OASIs: oracle assessment and improvement tool. In *Proceedings of the 27th ACM SIGSOFT International Symposium on Software Testing and Analysis*, ISSTA 2018, New York, NY, USA, July 2018. ACM.
- [35] T. Ji, L. Chen, X. Mao, X. Yi, and J. Jiang. Automated regression unit test generation for program merges, 2020. arXiv:2003.00154 [cs].
- [36] D. Kang, D. Raghavan, P. Bailis, and M. Zaharia. Model assertions for monitoring and improving ML models, 2020. arXiv:2003.01668 [cs].
- [37] S. Khurshid and D. Marinov. TestEra: Specification-based testing of java programs using SAT. *Automated Software Engineering*, 11(4):403–434, 2004.
- [38] B. A. Kitchenham, D. Budgen, and O. P. Brereton. Using mapping studies as the basis for further research – a participant-observer case study. *Inf. Softw. Technol.*, 53(6):638–651, June 2011.
- [39] T. Knauth, C. Fetzer, and P. Felber. Assertion-driven development: Assessing the quality of contracts using meta-mutations. In *2009 International Conference on Software Testing, Verification, and Validation Workshops*, pages 182–191, 2009.
- [40] A. Koesnandar, S. Elbaum, G. Rothermel, L. Hochstein, C. Scaffidi, and K. T. Stolee. Using assertions to help end-user programmers create dependable web macros. In *Proceedings of the 16th ACM SIGSOFT International Symposium on Foundations of software engineering*, SIGSOFT ’08/FSE-16, pages 124–134. ACM, 2008.
- [41] M. Leotta, M. Cerioli, D. Olanas, and F. Ricca. Fluent vs basic assertions in java: An empirical study. In *2018 11th International Conference on the Quality of Information and Communications Technology (QUATIC)*, pages 184–192, 2018.
- [42] N. Li and J. Offutt. Test oracle strategies for model-based testing. *IEEE Transactions on Software Engineering*, 43(4):372–395, 2017.
- [43] P. Li, J. Sun, and H. Wang. Formal approach to assertion-based code generation. *International Journal of Software Engineering and Knowledge Engineering*, 27(9):1637–1662, 2017. Publisher: World Scientific Publishing Co.

- [44] P. Loyola, M. Staats, I. Ko, and G. Rothermel. Dodona: automated oracle data set selection. In *Proceedings of the 2014 International Symposium on Software Testing and Analysis, ISSTA 2014*, pages 193–203. ACM, 2014.
- [45] D. D. Ma’ayan. The quality of junit tests: An empirical study report. In *2018 IEEE/ACM 1st International Workshop on Software Qualities and their Dependencies (SQUADE)*, pages 33–36, 2018.
- [46] M. Martinez, A. Etien, S. Ducasse, and C. Fuhrman. RTj: a java framework for detecting and refactoring rotten green test cases. In *IEEE/ACM 42nd International Conference on Software Engineering: Companion Proceedings (ICSE-Companion)*, pages 69–72, 2020. Publisher: ACM.
- [47] E. C. Mayer. Assertion-based testing of go programs. Master thesis, Technical University Munich, 2020.
- [48] A. Mesbah, A. van Deursen, and D. Roest. Invariant-based automatic testing of modern web applications. *IEEE Transactions on Software Engineering*, 38(1):35–53, 2012.
- [49] S. Messaoudi, D. Shin, A. Panichella, D. Bianculli, and L. C. Briand. Log-based slicing for system-level test cases. In Cristian Cadar and Xiangyu Zhang, editors, *ISSTA ’21: 30th ACM SIGSOFT International Symposium on Software Testing and Analysis, Virtual Event, Denmark, July 11-17, 2021*, pages 517–528. ACM, 2021.
- [50] A. Milani Fard, M. Mirzaaghaei, and A. Mesbah. Leveraging existing tests in automated test generation for web applications. In *Proc. 29th ACM/IEEE International Conference on Automated Software Engineering, ASE ’14*, pages 67–78. ACM, 2014.
- [51] S. Mirshokraie, A. Mesbah, and K. Pattabiraman. Atrina: Inferring unit oracles from GUI test cases. In *IEEE International Conference on Software Testing, Verification and Validation (ICST)*. IEEE Computer Society, 2016.
- [52] F. Molina, P. Ponzio, N. Aguirre, and M. Frias. EvoSpex: An Evolutionary Algorithm for Learning Postconditions (artifact). In *2021 IEEE/ACM 43rd International Conference on Software Engineering: Companion Proceedings (ICSE-Companion)*, pages 185–186, May 2021. ISSN: 2574-1926.
- [53] L. Moonen, A. van Deursen, A. Zaidman, and M. Bruntink. On the interplay between software testing and evolution and its effect on program comprehension. In Tom Mens and Serge Demeyer, editors, *Software Evolution*, pages 173–202. Springer, 2008.
- [54] C. Murphy, K. Shen, and G. Kaiser. Using JML runtime assertion checking to automate metamorphic testing in applications without test oracles. In *2009 International Conference on Software Testing Verification and Validation*, pages 436–445, 2009. ISSN: 2159-4848.
- [55] R. A. P. Oliveira, U. Kanewala, and P. A. Nardi. Chapter three - automated test oracles: State of the art, taxonomies, and trends. In Atif Memon, editor, *Advances in Computers*, volume 95, pages 113–199. Elsevier, 2014.

- [56] C. Oriat. JarTEge: A tool for random generation of unit tests for java classes. In Ralf Reussner, Johannes Mayer, Judith A. Stafford, Sven Overhage, Steffen Becker, and Patrick J. Schroeder, editors, *Quality of Software Architectures and Software Quality*, Lecture Notes in Computer Science, pages 242–256. Springer, 2005.
- [57] D. Pariente and Julien Signoles. Static analysis and runtime-assertion checking : Contribution to security counter-measures, 2017. 10.5281/zenodo.820856.
- [58] F. Pastore, L. Mariani, and G. Fraser. CrowdOracles: Can the crowd solve the oracle problem? In *Sixth International Conference on Software Testing, Verification and Validation, Software Testing, Verification and Validation (ICST)*, pages 342–351, 2013. Publisher: IEEE.
- [59] K. Patel and R. M. Hierons. A mapping study on testing non-testable systems. *Software Quality Journal*, 26(4):1373–1413, 2018.
- [60] J. Petke and A. Blot. Refining fitness functions in test-based program repair. In *Proceedings of the IEEE/ACM 42nd International Conference on Software Engineering Workshops, ICSEW’20*, pages 13–14. ACM, 2020.
- [61] M. Pezzè and C. Zhang. Chapter one - automated test oracles: A survey. In Atif Memon, editor, *Advances in Computers*, volume 95, pages 1–48. Elsevier, 2014.
- [62] Ajitha Rajan, Lydie du Bousquet, Yves Ledru, German Vega, and Jean-Luc Richier. Assertion-based test oracles for home automation systems. In *Proc. 7th International Workshop on Model-Based Methodologies for Pervasive and Embedded Software, MOMPES ’10*, page 45–52. ACM, 2010.
- [63] M. Sakakibara, K. Sakurai, and S. Komiya. An assertion mechanism for software unit testing to remain unaffected by program modification - the mechanism to eliminate dependency from/to unnecessary object. *Knowledge-Based Software Engineering*, pages 125–134, 2008.
- [64] A. Salehi Fathabadi, M. Dalvandi, M. Butler, and B. M. Al-Hashimi. Verifying cross-layer interactions through formal model-based assertion generation. *IEEE Embedded Systems Letters*, 12(3):83–86, 2020.
- [65] R. Santana, L. Martins, L. Rocha, T. Virgínio, A. Cruz, H. Costa, and I. Machado. RAIDE: a tool for assertion roulette and duplicate assert identification and refactoring. In *Proceedings of the XXXIV Brazilian Symposium on Software Engineering, SBES ’20*, pages 374–379. ACM, 2020.
- [66] S. Sequeira. *Understanding web application test assertion failures*. PhD thesis, University of British Columbia, 2014.
- [67] S. Shamshiri, R. Just, J. M. Rojas, G. Fraser, P. McMinn, and A. Arcuri. Do automatically generated unit tests find real faults? an empirical study of effectiveness and challenges (t). In *30th IEEE/ACM Int. Conf. on Automated Software Engineering (ASE)*, pages 201–211, 2015.
- [68] K. Shrestha and M. J. Rutherford. An empirical evaluation of assertions as oracles. In *Verification and Validation Fourth IEEE International Conference on Software Testing*, pages 110–119, 2011. ISSN: 2159-4848.

- [69] H. Snyder. Literature review as a research methodology: An overview and guidelines. *J. of Business Res.*, 104:333–339, 2019.
- [70] E. Soares, M. Ribeiro, R. Gheyi, Guilherme Amaral, and André Santos. Refactoring test smells with JUnit 5: Why should developers keep up-to-date? *IEEE Transactions on Software Engineering*, 49(3):1152–1170, 2023.
- [71] D. Spadini, F. Palomba, A. Zaidman, M. Bruntink, and A. Bacchelli. On the relation of test smells to software code quality. In *IEEE International Conference on Software Maintenance and Evolution (ICSME)*, pages 1–12, 2018. ISSN: 2576-3148.
- [72] V. Stoyanova, D. Petrova-Antonova, and S. Ilieva. Automation of test case generation and execution for testing web service orchestrations. In *2013 IEEE Seventh International Symposium on Service-Oriented System Engineering*, pages 274–279, 2013.
- [73] H. Søndergaard, S.E. Korsholm, and A.P. Ravn. Conformance test development with the java modeling language. *Concurrency and Computation: Practice and Experience*, 29(22):(32 pp.), 2017.
- [74] V. Terragni, G. Jahangirova, P. Tonella, and M. Pezzè. GAssert: A Fully Automated Tool to Improve Assertion Oracles. In *IEEE/ACM 43rd Int. Conf. on Software Engineering: Companion Proceedings (ICSE-Companion)*, pages 85–88, May 2021. ISSN: 2574-1926.
- [75] A. Tiryaki, S. Öztuna, O. Dikenelli, and R. Erdur. SUNIT: A unit testing framework for test driven development of multi-agent systems. In Lin Padgham and Franco Zambonelli, editors, *Agent-Oriented Software Engineering VII*, LNCS, pages 156–173. Springer, 2007.
- [76] C. Tsung-Hsiang, T. Yeh, and R. C. Miller. GUI testing using computer vision. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 1535–1544. ACM, 2010.
- [77] M. Tufano, D. Drain, A. Svyatkovskiy, and N. Sundaresan. Generating accurate assert statements for unit test cases using pretrained transformers. In *Proceedings of the 3rd ACM/IEEE International Conference on Automation of Software Test, AST '22*, pages 54–64. ACM, 2022.
- [78] A. Vahabzadeh, A. Milani Fard, and A. Mesbah. An empirical study of bugs in test code. In *2015 IEEE International Conference on Software Maintenance and Evolution (ICSME)*, pages 101–110, 2015.
- [79] M. Valueian, N. Attar, H. Haghghi, and M. Vahidi-Asl. Constructing automated test oracle for low observable software. *Scientia Iranica*, 27(3):1333–1351, 2020.
- [80] C. Watson, M. Tufano, K. Moran, G. Bavota, and D. Poshyanyk. On learning meaningful assert statements for unit test cases. In *Proceedings of the ACM/IEEE 42nd International Conference on Software Engineering, ICSE '20*, pages 1398–1409. ACM, 2020.
- [81] C. Wei, L. Xiao, T. Yu, X. Chen, X. Wang, S. Wong, and A. Clune. Automatically tagging the “AAA” pattern in unit test cases using machine learning models. In *Proceedings of the 37th IEEE/ACM Int. Conf. on Automated Software Engineering, ASE '22*, pages 1–3. ACM, 2023.

- [82] E. J. Weyuker. On testing non-testable programs. *Comput. J.*, 25(4):465–470, 1982.
- [83] D. Winkler, P. Urbanke, and R. Ramler. What do we know about readability of test code? - a systematic mapping study. In *2022 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER)*, pages 1167–1174, 2022. ISSN: 1534-5351.
- [84] H. Wu, R. Yin, J. Gao, Z. Huang, and H. Huang. To what extent can code quality be improved by eliminating test smells? In *2022 International Conference on Code Quality (ICCCQ)*, pages 19–26, 2022.
- [85] Q. Xie and A. M. Memon. Designing and comparing automated test oracles for GUI-based software applications. *ACM Transactions on Software Engineering and Methodology*, 16(1):4–es, 2007.
- [86] T. Xie. Augmenting automatically generated unit-test suites with regression oracle checking. In D. Thomas, editor, *ECOOP 2006 – Object-Oriented Programming*, LNCS, pages 380–403. Springer, 2006.
- [87] T. Xie, N. Tillmann, J. de Halleux, and W. Schulte. Mutation analysis of parameterized unit tests. In *2009 International Conference on Software Testing, Verification, and Validation Workshops*, pages 177–181, 2009.
- [88] J. Xuan and M. Monperrus. Test case purification for improving fault localization. In *Proceedings. 22nd ACM SIGSOFT Int. Symp. on Foundations of Software Engineering*, pages 52–63. ACM, 2014.
- [89] Y. Xu, B. Huang, G. Wu, and M. Yuan. Using genetic algorithms to repair JUnit test cases. In *21st Asia-Pacific Software Engineering Conference (APSEC)*, volume 1. IEEE Computer Society, 2014.
- [90] H. Yu, Y. Lou, K. Sun, D. Ran, T. Xie, D. Hao, Y. Li, G. Li, and Q. Wang. Automated assertion generation via information retrieval and its integration with deep learning. In *IEEE/ACM 44th Int. Conf. on Software Engineering (ICSE)*, pages 163–174, 2022. Publisher: ACM.
- [91] L. Zamprogno, B. Hall, R. Holmes, and J. M. Atlee. Dynamic human-in-the-loop assertion generation. *IEEE Transactions on Software Engineering*, 49(4):2337–2351, 2023.
- [92] F. Zeng, C. Deng, and Y. Yuan. Assertion-directed test case generation. In *2012 Third World Congress on Software Engineering*, pages 41–45, 2012.
- [93] Y. Zhang and A. Mesbah. Assertions are strongly correlated with test suite effectiveness. In *Proceedings of the 10th Joint Meeting on Foundations of Software Engineering, ESEC/FSE 2015*, pages 214–224. ACM, 2015.
- [94] J. Zhao and I. G. Harris. Automatic Assertion Generation from Natural Language Specifications Using Subtree Analysis. In *2019 Design, Automation Test in Europe Conference Exhibition (DATE)*, pages 598–601, March 2019. ISSN: 1558-1101.
- [95] Felix Zheng and P. Lam. Identifying test refactoring candidates with assertion fingerprints. In *Proceedings of the Principles and Practices of Programming on The Java Platform, PPPJ ’15*, pages 125–137. ACM, 2015.

- [96] J. Zhi and V. Garousi. On adequacy of assertions in automated test suites: An empirical investigation. In *6th Int. Conf. on Software Testing, Verification and Validation Workshops*, pages 382–391, 2013.