LUND UNIVERSITY

Cerebellar functions from a translational perspective: from neuronal to neurocognitive dysfunctions

Cundari, Maurizio

2026

Document Version:
Publisher's PDF, also known as Version of record

[Link to publication](#)

Total number of authors:
1

ERRATUM CORRIGENDUM

In the Notes, the sentence "*Sagittal MRI of patients with spinocerebellar ataxia type 34 demonstrating pronounced cerebellar atrophy*" should be replaced with "*Sagittal MRI illustrating differences between a patient with spinocerebellar ataxia type 34 and a healthy control used for the analysis in Paper IV.*"

Paper III – Supplementary Materials.

An error occurred during journal processing that resulted in the duplication of *eTable 1* (comorbidities) and the omission of *eTable 2* (medication dosages).

eTable 2 – Medication Dosages and Active Ingredients

This supplement categorizes the medications by their active ingredients and provides a quantification of how often each medication and dosage appear in the dataset. It helps give an overview of the medications administered and their frequencies across the sample.

Spinocerebellar Ataxia (SCA) (n = 22)

Active Ingredient	Frequency	Dosage (mg)	Total Count (Dosage)
Amitriptylin	2	25	1
Aminopyridine	2	5	1
Amlodipin	1	5	1
	1	10	1
Atorvastatin	1	80	1
Betaprolol	1	12.5	1
Benserazid	1	25	1
Bisprolol	1	2.5	1
Buspiron	2	10	1
Candesartan	1	8	1
	1	32	1
Citalopram	1	30	1
Clopidogrel	1	75	1
Dapagliflozin	1	10	1
Deluxetin	1	120	1
Duotrav	1	30***	1
Enalapril	1	20	1
Escitalopram	1	10	1
	1	20	1
Ezatimibe	1	10	1
Hypotron	3	5	1
Imovan	1	10	1
Isovetril	1	2	1
Lergigan	2	1	1
Levodopa	1	100	1
Loparmid	3	2	1
Losertan	1	100	1
Metaprolol	1	100	1

	1	10	1
Mirtazapin	1	15	1
Olanzapin	1**	405	1
Predinsolon	1	5	1
Pregabalin	1	25	1
Saroten	1	10	1
Sertralin	1	75	1
	1	100	1
Simvastatin	1	20	1
Tegretol	3	200	1
Trombyl	1	75	1
	1	160	1

Notes: *= the person assumes the medication on demand. **= One time per month. ***=microgram/milliliter.

Other Neurodegenerative Cerebellar Ataxia (N-SCA) (n = 24)

Active Ingredient	Frequency	Dosage (mg)	Total Count (Dosage)
Alvesco	*	160***	*
Amlodipin	1	10	1
	1	10	1
Atorvastatin	1	40	1
	1	40	1
	1	40	1
Bufomix	*	160***	*
Bupropion	1	150	1
Citalopram	1	40	1
Clonazepam	1	20	1
Duloxetin	1	30	1
Enalapril	1	10	1
	1	20	1
Eliquis	1	5	2
	1	50	2
Escitalopram	1	10	1
Fampyra	1	10	2
Finasterid	1	5	1
Forxiga	1	10	1
Iktorivil	2	0.5	1
Levaxin	1	125	1
Ispopto	1	1****	1
Losartan	1	50	2
Metaprolol	1	10	1
	1	25	1
	1	25	1
	1	50	1
	1	100	1
Metformin	1	16*****	1
Metaprolol	1	25	1
Mirtazapin	1	15	1

Naproxen	1	250	2
	1	500	2
Orudis	1	200	1
Propanolol	1	40	1
Propavan	1	10	1
	1	25	1
Ramiprilil	1	2.5	2
Ritalin	1	30	1
Sertralin	1	50	2
Trombyl	1	75	1
Venlafaxin	1	150	1

Notes: *= the person assumes the medication on demand. **= One time per month. ***=microgram/dose. ****= milligram/milliliter. *****= units.

Control group (n=65)

Active Ingredient	Frequency	Dosage (mg)	Total Count (Dosage)
Atorvastin	1	40	1
Betablocker	1	100	1
Bisoprolol	1	2,5	1
Cetirizine	1	-	1
Citalopram	1	30	1
Citodon	2**	30	1
Eltraxin	1	150	1
Empaglifozin	1	25	1
Enalapril	1	2,5	1
	1	5	1
Felodipin	1	5	1
Levaxin	1	75	1
Losartan	1	10	1
	1	25	1
Melatonin	1	8	1
Metaprolol	1	50	1
Metformin	4	500	1
Pregabalin	2	150	1
Sertraline	1	100	1
	1	150	1
Sumatriptan	1*	-	1

Notes: *= the person assumes the medication on demand; **= times per month; -= Dosage not listed because the person does not remember the specific amount.