



# LUND UNIVERSITY

## Malawian Prosthetic and Orthotic Users' Mobility and Satisfaction with their Lower Limb Assistive Device

Magnusson, Lina; Ahlström, Gerd

2017

*Document Version:*

Publisher's PDF, also known as Version of record

[Link to publication](#)

*Citation for published version (APA):*

Magnusson, L., & Ahlström, G. (2017). *Malawian Prosthetic and Orthotic Users' Mobility and Satisfaction with their Lower Limb Assistive Device*. Poster session presented at APO-SADC Region Conference, Cape Town, South Africa.

*Total number of authors:*

2

### General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117  
221 00 Lund  
+46 46-222 00 00



# Malawian Prosthetic and Orthotic Users' Mobility and Satisfaction with their Lower Limb Assistive Device

**LUND**  
UNIVERSITY

Lina Magnusson & Gerd Ahlström




## AIM

To investigate patients' mobility and satisfaction with their lower limb prosthetic or orthotic device and related service delivery in Malawi and to compare groups of patients regarding type and level of device and demographics.

## METHOD

Questionnaires were used to collect self-report data from 83 patients.



## RESULTS

Ninety percent of prostheses or orthoses were in use by patients, but approximately half of these needed repair.

Thirty-nine percent reported pain when using their assistive device.

The majority of patients were able to rise from a chair (77%), move around the home (80%), walk on uneven ground (59%) and travel by bus or car (56%). However, patients had difficulties walking up and down hills (78%) and stairs (60%).

In general, patients were quite satisfied with their assistive device (mean of 3.9 out of 5) and very satisfied with the service provided (mean of 4.4 out of 5).

Access to repairs and servicing were rated as most important, followed by durability and follow-up services.

Lack of finances to pay for transport was a barrier to accessing the prosthetic and orthotic centre.

## CONCLUSION

Patients were satisfied with the assistive device and service received, despite that half of the devices needed repairs. Pain associated with use of the device and difficulties ambulating on challenging surfaces were reported.

## REFERENCES

Magnusson L, Ahlström G, Ramstrand N, Fransson EI. Malawian Prosthetic and Orthotic Users' Mobility and Satisfaction with their Lower – Limb Assistive Device *J Rehabil Med.* 2013; 45: 385–391. <https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-1117>

Photo: Lina Magnusson

Lina Magnusson, University lecturer, PhD in Health and Caring Sciences, MSc International health/prosthetics and orthotics, CPO Department of Health Sciences, Faculty of Medicine, Lund University, Sweden [Lina.Magnusson@med.lu.se](mailto:Lina.Magnusson@med.lu.se)

Gerd Ahlström, Professor, Department of Health Sciences, Faculty of Medicine, Lund University, Sweden, [Gerd.Ahlstrom@med.lu.se](mailto:Gerd.Ahlstrom@med.lu.se)

