



# LUND UNIVERSITY

## **A multicenter evaluation of the safety and effectiveness of a 0h/1h protocol in the assessment of emergency department chest pain patients.**

Mokhtari, Arash; Lundager Forberg, Jakob; af Segerstad, Caroline Hård; Akbarzadeh Mameghanilar, Mahin; Khoshnood, Ardavan; Ekelund, Ulf

2018

*Document Version:*

Publisher's PDF, also known as Version of record

[Link to publication](#)

*Citation for published version (APA):*

Mokhtari, A., Lundager Forberg, J., af Segerstad, C. H., Akbarzadeh Mameghanilar, M., Khoshnood, A., & Ekelund, U. (2018). *A multicenter evaluation of the safety and effectiveness of a 0h/1h protocol in the assessment of emergency department chest pain patients.*. Poster session presented at European Congress on Emergency Medicine, Glasgow, United Kingdom.

*Total number of authors:*

6

### **General rights**

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117  
221 00 Lund  
+46 46-222 00 00



LUND UNIVERSITY

# A multicenter evaluation of the safety and effectiveness of a 0h/1h protocol in the assessment of emergency department chest pain patients

Mokhtari, A., Forberg, J.L., Hård av Segerstad, C., Khoshnood, A., Akbarzadeh, M. & Ekelund, U.

Dept of Internal and Emergency Medicine, Skåne University Hospital at Lund, Depts of Emergency Medicine, Helsingborg and Ystad hospitals, Sweden

Contact: ulf.ekelund@med.lu.se




## Background

In emergency department (ED) chest pain patients, the European Society of Cardiology recommends the use of a protocol with high-sensitivity cardiac Troponin (hs-cTn) tests at 0 and 1 h. However, the recommendation is based on observational studies and the effects of the protocol when implemented in routine care is unknown. The aim of the present study is to determine the safety and effectiveness of a 0h/1h hs-cTnT protocol (Figure, center) which also incorporates patient history and ECG, when implemented in routine care.

## Methods

In this before-and-after implementation study (ClinicalTrials.gov: NCT03421873), all patients  $\geq 18$  years with a chief complaint of chest pain and possible acute coronary syndrome (ACS) will be included at the EDs of Lund, Helsingborg and Ystad in Skåne, Sweden (map on far right). The EDs of Malmö and Kristianstad will be concurrent controls. Before implementation, most ED physicians ordered hs-cTnT tests at 0 and 3 h. Exclusion criteria are STEMI, a non-Swedish citizenship or leaving against medical advice. Patient outcomes will be compared in the 10-month periods before and after the implementation (starting Feb 1, 2018), and the primary outcomes are acute myocardial infarction/all-cause death within 30 days and the ED length of stay in patients discharged from the ED. Secondary outcomes include the proportion of patients discharged from the ED and of non-ACS-patients admitted to the cardiac care unit.



## Conclusion

If a 0h/1h protocol implemented in routine care can rapidly identify a large proportion of chest pain patients suitable for early discharge, with no need for further cardiac testing, this may reduce ED and hospital crowding, objective testing, health care costs and will benefit both patients and the health care system.