



LUND UNIVERSITY

Microsaccade detection using pupil and corneal reflection signals

Niehorster, Diederick C; Nyström, Marcus

DOI:

[10.16910/jemr.11.5](https://doi.org/10.16910/jemr.11.5)

2018

Document Version:

Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (APA):

Niehorster, D. C., & Nyström, M. (2018). *Microsaccade detection using pupil and corneal reflection signals*. Abstract from The Scandinavian Workshop on Applied Eye Tracking 2018, Copenhagen, Denmark.
<https://doi.org/10.16910/jemr.11.5>

Total number of authors:

2

Creative Commons License:

CC BY

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

POSTER SESSION: Eye-tracking methodology

Microsaccade detection using pupil and corneal reflection signals

Diederick C. Niehorster^{1,2} & Marcus Nyström¹

¹ *Humanities Lab, Lund University, Sweden*

² *Department of Psychology, Lund University, Sweden*

In contemporary research, microsaccade detection is typically performed using the calibrated gaze-velocity signal acquired from a video-based eye tracker. To generate this signal, the pupil and corneal reflection (CR) signals are subtracted from each other, a calibration mapping is applied, and a differentiation filter is applied, each of which may prevent small microsaccades from being detected due to signal distortion and noise amplification introduced by these processing steps. We propose a new algorithm where microsaccades are detected directly from uncalibrated pupil and CR signals. It is based on detrending the pupil and CR signals, followed by windowed crosscorrelation of these detrended signals. When tested on 1000 Hz binocular data acquired with an EyeLink 1000 Plus, the proposed algorithm outperforms the most commonly used algorithm in the field (Engbert & Kliegl, 2003), in particular for small amplitude microsaccades that are difficult to see in the velocity signal even with the naked eye. We argue that it is advantageous to consider the most basic output of the eye tracker (i.e., pupil and CR signals), and introduce as little processing as possible when detecting small microsaccades.

References

- Engbert, R., & Kliegl, R. (2003). Microsaccades uncover the orientation of covert attention. *Vision Research*, 43(9), 1035-1045.