



LUND UNIVERSITY

An overview of sum rules and physical limitations for passive metamaterial structures

Gustafsson, Mats

2013

[Link to publication](#)

Citation for published version (APA):

Gustafsson, M. (2013). *An overview of sum rules and physical limitations for passive metamaterial structures*. 1-2. Paper presented at META13, the 4th International Conference on Metamaterials, Photonic Crystals and Plasmonics.

Total number of authors:

1

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

An overview of sum rules and physical limitations for passive metamaterial structures

Mats Gustafsson

Lund University, Sweden
mats.gustafsson@eit.lth.se

Abstract— Metamaterials offer many new possibilities to design structures and devices with improved performance. In this paper, we present an overview of physical limitations for passive structures. The physical limitations relate the product between performance and bandwidth with the size of the structure. They are derived from sum rules that relate a weighted all spectrum integral of the performance with the low- and high-frequency responses. We present results for extinction cross sections, radar absorbers, high-impedance surfaces, extraordinary transmission, antennas, and temporal dispersion of metamaterials. The results provide a tradeoff between possible performance and bandwidth. As they are derived solely using passivity and linearity, the results also state when it is necessary to use active or non-linear media.

Passivity is inherent in many physical processes. Here, we consider an input output system that can be written on convolution form $u = R * v$, that follow from the assumptions of linearity, time-translational invariance, and continuity [14]. The time-domain characterizations for admittance passivity and scattering passivity are

$$\mathcal{E}_{\text{adm}}(T) = \int_{-\infty}^T u(t)v(t) dt \geq 0 \quad \text{and} \quad \mathcal{E}_{\text{scatt}}(T) = \int_{-\infty}^T |v(t)|^2 - |u(t)|^2 dt \geq 0, \quad (1)$$

respectively, where the inequality should hold for all T and v [14]. It is clear that time-domain passivity implies causality. The Laplace (or Fourier) transform of a passive system introduces a transfer function that is related to a positive real function or Herglotz function [1].

Herglotz functions, $h(z)$, are holomorphic in the upper half plane $\text{Im } z > 0$ and map the upper half plane into itself, *i.e.*, $\text{Im } h(z) \geq 0$, see [1, 11]. Here, we also restrict the analysis to symmetric Herglotz function $h(z) = -h^*(-z^*)$. Their asymptotic expansions are of the form

$$h(z) = \sum_{n=0}^{N_0} a_{2n-1} z^{2n-1} + o(z^{2N_0-1}) \quad \text{as } z \hat{\rightarrow} 0 \quad \text{and} \quad h(z) = \sum_{n=0}^{N_\infty} b_{1-2n} z^{1-2n} + o(z^{1-2N_\infty}) \quad \text{as } z \hat{\rightarrow} \infty \quad (2)$$

for some $N_0 \geq 0$ and $N_\infty \geq 0$, see [1], where $\hat{\rightarrow}$ denotes limits for $0 < \alpha \leq \arg(z) \leq \pi - \alpha$. The expansions (2) guarantee that $\text{Im}(x)$ satisfy the integral identities

$$\frac{2}{\pi} \int_0^\infty \frac{\text{Im}\{h(x)\}}{x^{2n}} dx = a_{2n-1} - b_{2n-1} = \begin{cases} -b_{2n-1} & n < 0 \\ a_{-1} - b_{-1} & n = 0 \\ a_1 - b_1 & n = 1 \\ a_{2n-1} & n > 1, \end{cases} \quad (3)$$

where $n = 1 - N_\infty, \dots, N_0$ and $a_{2n-1} = b_{1-2n} = 0$ for $n < 0$, see [1] for details. Note that a simplified notation is used here where the limits in (3) are dropped, *i.e.*, the integrand is the limit $h(x+iy)$ as $y \rightarrow 0$. The non-negative constraint, $\text{Im } h \geq 0$, imply the inequity $\frac{2}{\pi} \int_{x_1}^{x_2} \text{Im}\{h(x)\} x^{-2n} dx \leq a_{2n-1} - b_{2n-1}$.

The identity (3) is the foundation for deriving sum rules and limitations on a many physical systems [1], see also [3, 12, 13]. In short; it is sufficient to identify a passive system and to determine its low- and/or high-frequency asymptotics. In the presentation, we illustrate the use of sum rules and physical bounds for various passive electromagnetic systems. We present an overview of results that answer questions such as

- What limits the scattering and absorption of electromagnetic waves by finite objects over a frequency interval [13]?
- How does the ultimate bandwidth depend on the size and volume of antennas [5, 6]?
- What are the tradeoffs between thickness and bandwidth for; absorbers [12], high-impedance surfaces [2, 7], total cross sections [10], and blockage of EM waves [9]?
- How does the aperture size and shape related to the bandwidth for extraordinary transmission of electromagnetic waves through apertures in thin sheets [8]?
- What is the ultimate bandwidth for negative refraction [4]?
- How is the bandwidth related to the permeability in artificial magnetism [4]?

The derived sum rules and physical bounds are useful as they relate the dynamic response to the often much simpler low- or high frequency properties. The asymptotic values can also often be determined analytically and are related to simple parameters of the structure, such as the thickness [7, 12] or polarizability [13]. The derived bounds offer simple tradeoffs between performance and bandwidth for many cases [4–7, 12]. The results are also useful as they show fundamental limits for linear and passive structures and hence indicate when it is necessary to utilize active or non-linear devices.

REFERENCES

1. A. Bernland, A. Luger, and M. Gustafsson. Sum rules and constraints on passive systems. *J. Phys. A: Math. Theor.*, **44**(14), 145205, 2011.
2. C. R. Brewitt-Taylor. Limitation on the bandwidth of artificial perfect magnetic conductor surfaces. *Microwaves, Antennas & Propagation, IET*, **1**(1), 255–260, 2007.
3. R. M. Fano. Theoretical limitations on the broadband matching of arbitrary impedances. *Journal of the Franklin Institute*, **249**(1,2), 57–83 and 139–154, 1950.
4. M. Gustafsson and D. Sjöberg. Sum rules and physical bounds on passive metamaterials. *New Journal of Physics*, **12**, 043046, 2010.
5. M. Gustafsson, C. Sohl, and G. Kristensson. Physical limitations on antennas of arbitrary shape. *Proc. R. Soc. A*, **463**, 2589–2607, 2007.
6. M. Gustafsson, C. Sohl, and G. Kristensson. Illustrations of new physical bounds on linearly polarized antennas. *IEEE Trans. Antennas Propagat.*, **57**(5), 1319–1327, May 2009.
7. M. Gustafsson and D. Sjöberg. Physical bounds and sum rules for high-impedance surfaces. *IEEE Trans. Antennas Propagat.*, **59**(6), 2196–2204, 2011.
8. M. Gustafsson, D. Sjöberg, and I. Vakili. On the extraordinary transmission through sub-wavelength apertures in perfectly conducting sheets. In *International Conference on Electromagnetics in Advanced Applications (ICEAA)*, Turin, Italy, September 12–16 2011.
9. M. Gustafsson, C. Sohl, C. Larsson, and D. Sjöberg. Physical bounds on the all-spectrum transmission through periodic arrays. *EPL Europhysics Letters*, **87**(3), 34002 (6pp), 2009.
10. M. Gustafsson, I. Vakili, S. E. B. Keskin, D. Sjöberg, and C. Larsson. Optical theorem and forward scattering sum rule for periodic structures. *IEEE Trans. Antennas Propagat.*, **60**(8), 3818–3826, 2012.
11. H. M. Nussenzveig. *Causality and dispersion relations*. Academic Press, London, 1972.
12. K. N. Rozanov. Ultimate thickness to bandwidth ratio of radar absorbers. *IEEE Trans. Antennas Propagat.*, **48**(8), 1230–1234, August 2000.
13. C. Sohl, M. Gustafsson, and G. Kristensson. Physical limitations on broadband scattering by heterogeneous obstacles. *J. Phys. A: Math. Theor.*, **40**, 11165–11182, 2007.
14. A. H. Zemanian. *Distribution theory and transform analysis: an introduction to generalized functions, with applications*. Dover Publications, New York, 1987.